

SHAHEEN GROUP OF BS ZOOLOGY

03460004097

Group admins: M.Iqbal arain , waqas mehmood, rehana abid,
mehwish ramzan , filza mariam

Specially effort by : Mehwish ramzan, Filza mariam

Effort by: rabia toor, wafa talib , hafsa rehman, humaira rafeeq, sara
batool, Nisha kanwal, bint Hawa, mariyam Hanif, fouzeena iqbal ,
shehzadi shah, saba, ayesha hafeez

Special thanks to : sanam shah shab



Question # 10 of 10 (Start time: 03:56:57 PM, 10 February 2021)

Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as _____

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☒ | Local parameters |
| ☐ | Non-local parameters |
| ☐ | Mobile parameters |
| ☐ | Risk parameters |



Question # 8 of 10 (Start time: 03:56:43 PM, 10 February 2021)

Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as

Select the correct option



Location parameters



Specific parameters



Local parameters



None of these

[Click to Save Answer & Move to Next Question](#)

Edit with WPS Office

Question # 7 of 10 (Start time: 03:56:34 PM, 10 February 2021)

Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- | | |
|----------------------------------|--------------------------|
| ☐ | Variation |
| ☐ | Coefficient |
| ☒ | Coefficient of variation |
| ☐ | All of these |



Edit with WPS Office

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 03:56:26 PM, 10 February 2021)

Total Marks: 1

The range of a list is _____ if and only if all the data-points in the list are _____:

Select the correct option

☐ 0, unequal☐ 1, unequal☐ 1, equal☒ 0, equal

Question # 5 of 10 (Start time: 03:56:21 PM, 10 February 2021)

Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- | | |
|----------------------------------|--------------------------|
| ☒ | Coefficient of variation |
| ☐ | Dispersion |
| ☐ | Standard deviation |
| ☐ | All |

Click to Save Answer & Move to Next Question



Edit with WPS Office

Question # 4 of 10 (Start time: 03:56:16 PM, 10 February 2021)

Total Marks: 1

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option



mutually exclusive



mutually inclusive



interdependent



none of these

[Click to Save Answer & Move to Next Question](#)

Edit with WPS Office

Question # 3 of 10 (Start time: 03:56:09 PM, 10 February 2021)

Total Marks: 1

Quantiles are more robust and less susceptible than _ if there are outlying observations in the data

Select the correct option

☐

Mode

☐

Standard deviation

☒

Mean

☐

Dispersion



Question # 2 of 10 (Start time: 03:56:04 PM, 10 February 2021)

Total Marks: 1

If an Event consists of exactly one outcome, it is called

Select the correct option



Complex event



Simple Event



Simple complex event



None of these



Question # 1 of 10 (Start time: 03:55:57 PM, 10 February 2021)

Total Marks: 1

In an array the Quartiles are _ cut-points that divides the values into 4 equal parts.

Select the correct option

☒	3
☐	4
☐	2
☐	6



Question # 5 of 10 (Start time: 04:11:23 PM, 08 February 2021)

Total Marks: 1

_____ is defined as departure from symmetry

Select the correct option



Skewness



Mean



Mode



Probability



Question # 3 of 10 (Start time: 04:11:12 PM, 08 February 2021)

Total Marks: 1

Box and Whisker Plot is also sometimes called

Select the correct option



Whisker Box



Box Whisker



Box Plot



None of these



Question # 2 of 10 (Start time: 04:03:06 PM, 08 February 2021)

Total Marks: 1

The location parameters which help us to determine the position of a particular observations in a data are called

Select the correct option

- | | |
|----------------------------------|-------------------------|
| ☒ | Measures of position |
| ☐ | Measures of change |
| ☐ | Local parameters |
| ☐ | Measures of observation |



Question # 9 of 10 (Start time: 03:56:08 PM, 08 February 2021)

Total Marks: 1

The positive square root of the variance is called _____

Select the correct option

- | | |
|----------------------------------|--------------------|
| ☒ | Standard deviation |
| ☐ | Mean |
| ☐ | Mode |
| ☐ | Quartile |



Question # 8 of 10 (Start time: 03:56:03 PM, 08 February 2021)

Total Marks: 1

Relative frequency in population is known as

Select the correct option

- | | |
|----------------------------------|---------------|
| ☐ | Sampling |
| ☐ | Dispersion |
| ☒ | Probability |
| ☐ | None of these |

Click to Save Answer & Move to Next Question



**IS MEN JO ANSWERS HA
CONFIRMED HA 100%**

