

Question # 1 of 10 (Start time: 08:03:33 AM, 08 July 2023)

An entry in an online encyclopedia that refers to another entry whose title has been changed is an example of _____

Select the correct option



- | | |
|----------------------------------|-------------------|
| ☐ | Dangling pointer |
| ☒ | Reference pointer |
| ☐ | NULL Pointer |
| ☐ | This pointer |

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 08:04:00 AM, 08 July 2023)

Data encapsulation can be achieved through _____.

Select the correct option

☐	Pointers
☒	Classes
☐	Structures
☐	Arrays

Question # 3 of 10 (Start time: 08:04:31 AM, 08 July 2023)

In C++, which operator is used for memory allocation?

Select the correct option

☐	Allocate
☐	Calloc
☒	New
☐	Allocate_memory

[Click to See Answer](#)

CS201P - Introduction to Programming (Practical) (Lab 9&10 Quiz)

Question # 4 of 10 (Start time: 08:05:03 AM, 08 July 2023)

In C++, which of the following option is used to declare a class?

Select the correct option

☐	Class
☒	class
☐	clAss
☐	CLASS

Click

Question # 5 of 10 (Start time: 08:05:38 AM, 08 July 2023)

In the following code, what will be the output of i?

```
#include<iostream>

using namespace std;

main()
{
    int i;

    int &j = i;

    i = 123;

    cout<< "\n The value of i =" << i;

}
```

Select the correct option

☐	321
☐	x012345
☐	012345x
☒	123

Question # 6 of 10 (**Start time: 08:06:43 AM, 08 July 2023**)

A constructor with arguments is known as.

Select the correct option

☐	Destructor
☒	Paramterized Constructor
☐	Default Constructor
☐	Virtual Constructor

CS201P - Introduction to Programming (Practical) (Lab 9&10 Quiz)

Question # 7 of 10 (**Start time: 08:07:13 AM, 08 July 2023**)

In C++, **sizeof** operator is used to determine _____.

Select the correct option

☐	Length of words
☒	Size of data type
☐	Length of string
☐	Number of words

Question # 9 of 10 (Start time: 08:09:13 AM, 08 July 2023)

Which function is automatically called when an object of a class is initiated?

Select the correct option

 Reload

☒	Constructor
☐	Utility function
☐	Friend function
☐	Destructor

Click to Save Answer & Move to Next

Question # 10 of 10 (Start time: 08:09:35 AM, 08 July 2023)

In C++, the name of the _____ is the same as that of a class with a preceding tilde (~)

Select the correct option

☐	Utility function
☐	Friend function
☒	Destructor
☐	Constructor

[Click to Save Answer](#)