

Which of the following type is not validity in the technical sense; nor is it technically measured?

Select the correct option

|                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Predictive        |
| <input type="radio"/> | Content           |
| <input type="radio"/> | Face              |
| <input type="radio"/> | Criterion related |

[Click to Save Answer & Move to Next Question](#)

Prior learning is an example of which of the following error factor of measurement?

Select the correct option

|                                  |                             |
|----------------------------------|-----------------------------|
| <input checked="" type="radio"/> | Examinee related variables  |
| <input type="radio"/>            | Test administration process |
| <input type="radio"/>            | True scores of test         |
| <input type="radio"/>            | Test related factors        |

Question # 4 of 10 ( Start time: 10:56:12 PM, 28 June 2022 )

Total Marks: 1

The process of setting rules for assigning numbers in measurement is called:

Select the correct option

|                                  |            |
|----------------------------------|------------|
| <input type="radio"/>            | Statistics |
| <input type="radio"/>            | Counting   |
| <input checked="" type="radio"/> | Scaling    |
| <input type="radio"/>            | Norms      |

A test that contains items with different difficulty level but the test takers are given enough time for completing it is called:

Select the correct option

|                                  |                   |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | Power test        |
| <input type="radio"/>            | Aptitude test     |
| <input type="radio"/>            | Intelligence test |
| <input type="radio"/>            | Speed test        |

Click to Save Answer & Move to Next Question

Question # 8 of 10 ( Start time: 08:36:54 PM, 28 June 2022 )

Total Marks: 1

Split half procedure use odd-even format which is not suitable for:

Select the correct option

☐

Power test

☒

Speed test

☐

Intelligence test

☐

Aptitude test

[Go to Question 1 of 10 \(20%\) and Continue](#)

When domain reference test is used to assess the achievement of certain skills or contents, then it is known as:

Select the correct option

 Reload Math Equations

|                                  |                    |
|----------------------------------|--------------------|
| <input type="radio"/>            | Intelligence tests |
| <input type="radio"/>            | Aptitude tests     |
| <input checked="" type="radio"/> | Mastery tests      |
| <input type="radio"/>            | Summative Tests    |

Question # 10 of 10 ( Start time: 09:29:44 PM, 28 June 2022 )

The question or the item statement in MCQs is called:

Select the correct option

|                       |            |
|-----------------------|------------|
| <input type="radio"/> | Stem       |
| <input type="radio"/> | Format     |
| <input type="radio"/> | Distractor |
| <input type="radio"/> | Layout     |

Question # 2 of 10 ( Start time: 03:41:17 PM, 28 June 2022 )

Total Marks: 1

If the test takers' performance on a test as function of age is of critical interest, then the test might be referred to as an:

Select the correct option

[Reload Math Equations](#)

Age scale



Stanine scale



Likert scale



Grade scale

Question # 9 of 10 ( Start time: 03:57:27 PM, 28 June 2022 )

Total Marks: 1

When a diagnostic test of OCD correlated highly with Yale-Brown Obsessive-Compulsive Scale, it provides an indication of:

Select the correct option

- ☐ Divergent validity
- ☐ Convergent validity
- ☒ Criterion related validity
- ☐ Content validity

Click to view Answer & Marked as Correct Question

The sum of true score and error is known as:

Select the correct option

|                       |                |
|-----------------------|----------------|
| <input type="radio"/> | Measured score |
| <input type="radio"/> | True score     |
| <input type="radio"/> | Sum score      |
| <input type="radio"/> | Observed score |

Question # 6 of 10 ( Start time: 03:35:00 PM, 28 June 2022 )

Following are the possible factors that may cause error in measurement *EXCEPT*

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | True scores of test         |
| <input type="radio"/> | Examinee related variables  |

Question # 12 of 10 ( Start timer: 04:10:28 PM, 28 June 2022 )

Total Marks:

An informed scientific idea developed to describe or explain any behavior is called:

Select the correct option

- |                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Content   |
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Attitude  |
| <input type="radio"/>            | Concept   |

All rights reserved by Studydrive

Question # 9 of 10 ( Start time: 04:28:49 PM, 28 June 2022 )

Total Marks: 1

Which of the following types of tests are commonly used in education?

Select the correct option

[Reload Math Equations](#)

- |                       |                       |
|-----------------------|-----------------------|
| <input type="radio"/> | Criterion-referenced  |
| <input type="radio"/> | Diagnostic-referenced |
| <input type="radio"/> | Norm-referenced       |
| <input type="radio"/> | Domain- referenced    |

[Click to Save Answer / Click to Next Question](#)

The question or the item statement in MCQs is called:

Select the correct option



Distractor



Format



Layout



Stem



EXCELLENCE IN EDUCATION

Question # 8 of 10 ( Start time: 04:11:33 PM, 28 June 2022 )

Total Mark

According to \_\_\_\_\_, higher the score on the test, the higher the ability or the trait which is being measured.

Select the correct option

- ☐ Lesson model
- ☐ Class model
- ☒ Cumulative model
- ☐ Ipsative scoring

Please do not scroll horizontally

Question # 1 of 10 ( Start time: 11:09:10 PM, 28 June 2022 )

Mechanical comprehension, speed of walking, neuroticism and anxiety is an example of:

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Content   |
| <input type="radio"/>            | Trait     |
| <input type="radio"/>            | Attitude  |

Click

Question # 4 of 10 ( Start time: 11:11:10 PM, 28 June 2022 )

Test conceptualization is the \_\_\_\_\_ step in test construction.

Select the correct option

|                                  |        |
|----------------------------------|--------|
| <input type="radio"/>            | Forth  |
| <input type="radio"/>            | Fifth  |
| <input type="radio"/>            | Second |
| <input checked="" type="radio"/> | First  |

Question # 6 of 10 ( Start time: 11:11:58 PM, 28 June 2022 )

Which of the following tests provide normative data for the sake of score interpretation?

Select the correct option

|                                  |                       |
|----------------------------------|-----------------------|
| <input type="radio"/>            | Criterion-referenced  |
| <input type="radio"/>            | Domain-referenced     |
| <input checked="" type="radio"/> | Norm-referenced       |
| <input type="radio"/>            | Diagnostic-referenced |

Click to Sa

Careful test \_\_\_\_\_ leads to test construction.

Select the correct option

- |                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Standardization   |
| <input type="radio"/>            | Try-out           |
| <input checked="" type="radio"/> | Conceptualization |
| <input type="radio"/>            | Item analysis     |

Prior learning is an example of which of the following error factor of measurement?

Select the correct option

|                                  |                             |
|----------------------------------|-----------------------------|
| <input checked="" type="radio"/> | Examinee related variables  |
| <input type="radio"/>            | Test related factors        |
| <input type="radio"/>            | True scores of test         |
| <input type="radio"/>            | Test administration process |

Click to Save / Answer / Flag Question

When same scores are obtained by the same persons when they are reexamined with the same test on different occasions, known as a \_\_\_\_\_ tool.

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Valid     |
| <input type="radio"/>            | Normative |
| <input checked="" type="radio"/> | Reliable  |
| <input type="radio"/>            | Regular   |

Verbal fluency is an example of:

Select the correct option

☐

Verbatim

☐

Construct

☐

Attitude

☐

Content

Question # 9 of 10 ( Start time: 11:14:23 PM, 28 June 2022 )

Verbal fluency is an example of:

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Verbatim  |
| <input type="radio"/>            | Attitude  |
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Content   |

Click

Question # 4 of 10 ( Start time: 04:39:38 PM, 28 June 2022 )

Which of the following is a process of norm development?

Select the correct option

|                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Item analysis     |
| <input type="radio"/> | Validity          |
| <input type="radio"/> | Conceptualization |
| <input type="radio"/> | Standardization   |

The term \_\_\_\_\_ refers to a statistical procedure to evaluate the items, included in a test during the process of test of construction.

Select the correct option

 Reload Math Equations

|                                  |                      |
|----------------------------------|----------------------|
| <input type="radio"/>            | Examination analysis |
| <input checked="" type="radio"/> | Item analysis        |
| <input type="radio"/>            | Individual analysis  |
| <input type="radio"/>            | Personality analysis |

Click on the Answer button to get the correct answer.

When two different independent observers give reliable estimates of the same test, the test is known to have \_\_\_\_\_.

Select the correct option

 Reload Math Equations

|                                  |                                  |
|----------------------------------|----------------------------------|
| <input checked="" type="radio"/> | Test-Retest Reliability          |
| <input type="radio"/>            | Inter-Observer Reliability       |
| <input type="radio"/>            | Split- Half Reliability          |
| <input type="radio"/>            | Internal Consistency Reliability |

Click to Save Answer & Move to Next Question

A 10-point scale is an example of:

Select the correct option

|                       |                 |
|-----------------------|-----------------|
| <input type="radio"/> | Q-sort format   |
| <input type="radio"/> | Category format |
| <input type="radio"/> | Likert format   |
| <input type="radio"/> | Checklists      |

Click on the correct answer to submit your response

An informed scientific idea developed to describe or explain any behavior is called:

Select the correct option

 Reload Math Equations

- |                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Concept   |
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Attitude  |
| <input type="radio"/>            | Content   |

[Click to See Answer & Move to Next Question](#)

Question # 4 of 10 ( Start time: 05:06:35 PM, 28 June 2022 )

Total Marks: 1

If a test taker is using written tests particularly the objective ones, \_\_\_\_\_ reliability is not a matter of concern.

Select the correct option

|                                  |                  |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Inter scorer     |
| <input type="radio"/>            | Test-Retest      |
| <input type="radio"/>            | Alternate-Form   |
| <input type="radio"/>            | Kuder Richardson |

Click on the correct answer to see the question

Question # 6 of 10 ( Start time: 04:41:37 PM, 28 June 2022 )

Which of the following formulas is used when items are scored as either zero or one?

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Kuder-Richardson   |
| <input type="radio"/> | Regression Formula |
| <input type="radio"/> | Coefficient Alpha  |
| <input type="radio"/> | Kuder-Simoom       |

click here to view the answer

Question # 1 of 10 ( Start time: 04:17:50 PM, 28 June 2022 )

Total Marks: 1

How much a student has possibility to answer correctly simply by chance in MCQ type question with four options?

Select the correct option

Reload Math Equations

- |                       |     |
|-----------------------|-----|
| <input type="radio"/> | 25% |
| <input type="radio"/> | 40% |
| <input type="radio"/> | 20% |
| <input type="radio"/> | 30% |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 ( Start time: 04:19:27 PM, 28 June 2022 )

Total Marks: 1

An index of the amount of error in a test is called:

Select the correct option

[Reload Math Equations](#)

- |                       |                                 |
|-----------------------|---------------------------------|
| <input type="radio"/> | Standard error of determination |
| <input type="radio"/> | Standard error of test          |
| <input type="radio"/> | Standard error of variability   |
| <input type="radio"/> | Standard error of measurement   |

[Click to Save Answer & Move to Next Question](#)

A set of numbers whose properties are typical to the empirical properties of the objects or traits to which numbers are assigned is called:

Select the correct option

[Reload Math Equations](#)

|                       |            |
|-----------------------|------------|
| <input type="radio"/> | Scale      |
| <input type="radio"/> | Counting   |
| <input type="radio"/> | Norms      |
| <input type="radio"/> | Statistics |

[Click here to view all Math Questions](#)

○ Diverse

○ Same

○ Different



\_\_\_\_\_ tests are one of those tests whose reliability deserves extra concern and care.

Select the correct option

|                       |            |
|-----------------------|------------|
| <input type="radio"/> | Power      |
| <input type="radio"/> | Written    |
| <input type="radio"/> | Speed      |
| <input type="radio"/> | Projective |

Click on the correct answer to see the solution

In test construction, statistical procedures collectively referred to as:

Select the correct option

|                                  |               |
|----------------------------------|---------------|
| <input type="radio"/>            | Correlation   |
| <input type="radio"/>            | Regression    |
| <input type="radio"/>            | Norms         |
| <input checked="" type="radio"/> | Item analysis |

Question # 10 of 10 ( Start time: 04:45:13 PM, 28 June 2022 )

Total Marks: 1

When same scores are obtained by the same persons when they are re-examined with the same test on different occasions, known as a \_\_\_\_\_ tool.

Select the correct option

[Reload Math Equations](#)

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Valid     |
| <input checked="" type="radio"/> | Reliable  |
| <input type="radio"/>            | Normative |
| <input type="radio"/>            | Regular   |

[Click here for more & download questions](#)

The question or the item statement in MCQs is called:

Select the correct option

|                       |            |
|-----------------------|------------|
| <input type="radio"/> | Stem       |
| <input type="radio"/> | Distractor |
| <input type="radio"/> | Layout     |
| <input type="radio"/> | Format     |

Which type of reliability does consider the errors of measure that may affect the findings?

Select the correct option

- |                                  |                  |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Test-Retest      |
| <input type="radio"/>            | Alternate-Form   |
| <input type="radio"/>            | Split-Half       |
| <input type="radio"/>            | Kuder Richardson |

Question 3 of 10 ( 05:05:43 PM, 28 June 2022 )

Which of the following formulas is used when items are scored as either zero or one?

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Coefficient Alpha  |
| <input type="radio"/> | Regression Formula |
| <input type="radio"/> | Kuder-Richardson   |
| <input type="radio"/> | Kuder-Simoom       |

Click on the Answer & Move to Next Question

Question # 5 of 10 ( Start time: 04:25:23 PM, 28 June 2022 )

Total Marks: 1

Prior learning is an example of which of the following error factor of measurement?

Select the correct option

[Reload Math Equations](#)

Test related factors



Examinee related variables



Test administration process



True scores of tests

[Click to Save Answer & Move to Next Question](#)

In test construction, statistical procedures collectively referred to as:

Select the correct option

☐ Regression

☒ Item analysis

☐ Norms

☐ Correlation

Click on Easy, Medium & Hard to Mark Question

Individual difference is an example of which of the following error factor of measurement?

Select the correct option

- |                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | True scores of test         |
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | Examinee related variables  |

Downloaded by: [Name] (1234567890)

An index of the amount of error in a test is called:

Select the correct option

- |                                  |                                 |
|----------------------------------|---------------------------------|
| <input type="radio"/>            | Standard error of variability   |
| <input type="radio"/>            | Standard error of determination |
| <input checked="" type="radio"/> | Standard error of measurement   |
| <input type="radio"/>            | Standard error of test          |

Click to

From the beginning up to the end, the examiner's mood variations might affect the result, is the disadvantage of:

Select the correct option

|                                  |                 |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | Group test      |
| <input type="radio"/>            | Army alpha test |
| <input type="radio"/>            | Individual test |
| <input type="radio"/>            | Army beta test  |

Go to Question 8 / Previous / Next / Marked Questions

Question # 9 of 10 ( Start time: 04:44:29 PM, 28 June 2022 )

Writing an essay is a type of which of the following format?

Select the correct option

|                       |                 |
|-----------------------|-----------------|
| <input type="radio"/> | Likert format   |
| <input type="radio"/> | Response format |
| <input type="radio"/> | Category format |
| <input type="radio"/> | Checklists      |

Question # 5 of 10 ( Start time: 04:40:58 PM, 28 June 2022 )

Length of the test is an example of which of the following error factor of measurement?

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | True scores of tests        |
| <input type="radio"/> | Examinee related variables  |

From the beginning up to the end, the examiner's mood variations might affect the result, is the disadvantage of:

Select the correct option

 Reload Math E

|                                  |                 |
|----------------------------------|-----------------|
| <input type="radio"/>            | Individual test |
| <input type="radio"/>            | Army alpha test |
| <input checked="" type="radio"/> | Group test      |
| <input type="radio"/>            | Army beta test  |

\_\_\_\_\_ validity evidence measures something different from what other available tests measure.

Select the correct option

 Reload Math Equations

|                       |              |
|-----------------------|--------------|
| <input type="radio"/> | Discriminant |
| <input type="radio"/> | Content      |
| <input type="radio"/> | Construct    |
| <input type="radio"/> | Convergent   |

[Click to Copy Answer & Move to Next Question](#)

The first draft of the test is then tried out on a group of sample test takers is known as:

Select the correct option

|                                  |               |
|----------------------------------|---------------|
| <input checked="" type="radio"/> | Test tryout   |
| <input type="radio"/>            | Item analysis |
| <input type="radio"/>            | Test revision |
| <input type="radio"/>            | Test counting |

[Click to Save Answer](#) [Click to Move to Next Question](#)

Question # 7 of 10 ( Start time: 11:12:53 PM, 28 June 2022 )

Total Marks: 1

High scores in admission test can forecast a student's good academic performance in exams after admission. This relates to:

Select the correct option

[Reload Math Equations](#)

|                                  |                     |
|----------------------------------|---------------------|
| <input type="radio"/>            | Construct validity  |
| <input checked="" type="radio"/> | Predictive validity |
| <input type="radio"/>            | Criterion validity  |
| <input type="radio"/>            | Concurrent validity |

The test-retest coefficient is also known as:

Select the correct option

|                                  |                              |
|----------------------------------|------------------------------|
| <input type="radio"/>            | Coefficient of regression    |
| <input checked="" type="radio"/> | Coefficient of stability     |
| <input type="radio"/>            | Coefficient of coefficient   |
| <input type="radio"/>            | Coefficient of determination |

Q12125 - Coefficient of Stability

Domain referenced tests are also known as\_\_\_\_\_.

Select the correct option

- |                                  |                           |
|----------------------------------|---------------------------|
| <input checked="" type="radio"/> | Criterion reference test  |
| <input type="radio"/>            | Diagnostic reference Test |
| <input type="radio"/>            | Summative Test            |
| <input type="radio"/>            | Survey test               |

Click on the correct answer to the question

Concurrent validity is a type of:

Select the correct option

|                       |                            |
|-----------------------|----------------------------|
| <input type="radio"/> | Face validity              |
| <input type="radio"/> | Criterion-related Validity |
| <input type="radio"/> | Construct validity         |
| <input type="radio"/> | Content validity           |

Click the Answer if you filled option

Which of the following types of tests are commonly used in education?

Select the correct option

- |                       |                       |
|-----------------------|-----------------------|
| <input type="radio"/> | Domain- referenced    |
| <input type="radio"/> | Criterion-referenced  |
| <input type="radio"/> | Norm-referenced       |
| <input type="radio"/> | Diagnostic-referenced |

Click Here to View All Questions

Concurrent validity is a type of:

Select the correct option

|                                  |                            |
|----------------------------------|----------------------------|
| <input type="radio"/>            | Construct validity         |
| <input type="radio"/>            | Face validity              |
| <input checked="" type="radio"/> | Criterion-related Validity |
| <input type="radio"/>            | Content validity           |

Question # 1 of 10 ( Start time: 05:13:00 PM, 28 June 2022 )

Total Marks: 1

Which of the following is the most significant feature of domain referenced tests?

Select the correct option

|                                  |                    |
|----------------------------------|--------------------|
| <input checked="" type="radio"/> | Content meaning    |
| <input type="radio"/>            | Clarity            |
| <input type="radio"/>            | Expressive         |
| <input type="radio"/>            | Easy to understand |

[Go back to question list & View all Questions](#)

Which of the following test can be most useful for testing basic skills like reading and arithmetic at elementary levels?

Select the correct option

☐

Diagnostic reference Tools

☐

Summative Tests

☒

Domain-referenced tests

☐

Survey tests

Click on the correct answer to move to the next question

Question # 1 of 10 ( Start time: 05:03 12 PM, 28 June 2022 )

Total Marks: 1

Concurrent validity is a type of:

Select the correct option

- ☐ Content validity
- ☒ Criterion-related Validity
- ☐ Construct validity
- ☐ Face validity

[View Question & Answer History](#)

According to \_\_\_\_\_ model, test takers' responses earn credit toward placement in a particular class or category with other test takers whose pattern of score is presumably similar in some way.

Select the correct option

|                                  |            |
|----------------------------------|------------|
| <input type="radio"/>            | Lesson     |
| <input type="radio"/>            | Ipsative   |
| <input checked="" type="radio"/> | Class      |
| <input type="radio"/>            | Cumulative |

View Question / Print / Report Question

A 10-point scale is an example of:

Select the correct option



Q-sort format



Category format



Likert format



Checklists

CamScanner

Question # 1 of 10 ( Start time: 04:36:01 PM, 28 June 2022 )

Total Marks: 1

From the beginning up to the end, the examiner's mood variations might affect the result, is the disadvantage of:

Select the correct option

[Reload Math Equations](#)

- |                       |                 |
|-----------------------|-----------------|
| <input type="radio"/> | Individual test |
| <input type="radio"/> | Army alpha test |
| <input type="radio"/> | Army beta test  |
| <input type="radio"/> | Group test      |

[Click to Save Answer & Move to Next Question](#)

Question # 7 of 10 ( Start time: 04:26:57 PM, 28 June 2022 )

Total Marks: 1

Identify the formula that is measuring observed score?

Select the correct option

[Reload Math Equations](#)

- |                       |             |
|-----------------------|-------------|
| <input type="radio"/> | $X = T + F$ |
| <input type="radio"/> | $X = T + E$ |
| <input type="radio"/> | $X = R + F$ |
| <input type="radio"/> | $X = R + E$ |

[Click to Save / Answer / Move to Next Question](#)

Which of the following test refers to see a specific content area has been learnt and/ or mastery is acquired?

Select the correct option

☐

Personality

☐

Performance

☐

Projective

☒

Achievement



Followings are the categories included in Gerlach and Sullivan's (1967) system EXCEPT:

Select the correct option

- ☐ Identifying
- ☐ Describing
- ☒ Application
- ☐ Naming

1/25: You are right! (100% of 100% possible)

Odd-even distribution is used in:

Select the correct option

☐ Split- Half Reliability

☐ Inter-Observer Reliability

☐ Internal Consistency Reliability

☐ Test-Retest Reliability

CamScanner

Question # 3 of 10 ( Start Time: 04:39:12 PM, 20 June 2022 )

Total M

Which of the following validity is basic to the educational and occupational achievement tests?

Select the correct option

- ☐ Face
- ☐ Predictive
- ☒ Content
- ☐ Criterion

Copyright © 2022 Pearson Education, Inc. All rights reserved.

Question # 8 of 10 ( Start time: 04:27:41 PM, 28 June 2022 )

Total Marks: 1

A test is said to have \_\_\_\_\_ if items on the test represent the entire range of possible items the test should cover.

Select the correct option

[Reload Math Equations](#)☐

Concurrent validity

☒

Content validity

☐

Face validity

☐

Predictive validity

[Click to Save Answer or Move to Next Question](#)

Question # 4 of 10 ( Start time: 04:24:15 PM, 28 June 2022 )

Total Marks: 1

Which of the following is the most significant feature of domain referenced tests?

Select the correct option

[Reload Math Equations](#)

- |                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Easy to understand |
| <input type="radio"/> | Content meaning    |
| <input type="radio"/> | Expressive         |
| <input type="radio"/> | Clarity            |

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 ( Start time: 04:26:14 PM, 28 June 2022 )

Total Marks: 1

When items of intelligence test measures aptitude instead of intelligence; means test is not at all a \_\_\_\_\_ tool.

Select the correct option

[Reload Math Equations](#)

- |                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Reliable    |
| <input type="radio"/> | Normative   |
| <input type="radio"/> | Valid       |
| <input type="radio"/> | Standardize |

[Click to Save Answer / Move to Next Question](#)

How much a student has possibility to answer correctly simply by chance in MCQ type question with four options?

Select the correct option

|                                  |     |
|----------------------------------|-----|
| <input type="radio"/>            | 40% |
| <input type="radio"/>            | 30% |
| <input checked="" type="radio"/> | 25% |
| <input type="radio"/>            | 20% |

Go to Question 1

Question # 8 of 10 ( Start time: 03:56:43 PM, 28 June 2022 )

Total Marks: 1

The test-retest coefficient is also known as:

Select the correct option

☐

Coefficient of determination

☐

Coefficient of coefficient

☐

Coefficient of stability

☐

Coefficient of regression

Click to Save Answer & Move to Next Question



True scores of tests



Test related factors



Examinee related variables



Test administration process

The test-retest coefficient is also known as:

Select the correct option

- |                       |                              |
|-----------------------|------------------------------|
| <input type="radio"/> | Coefficient of regression    |
| <input type="radio"/> | Coefficient of coefficient   |
| <input type="radio"/> | Coefficient of stability     |
| <input type="radio"/> | Coefficient of determination |

Question # 5 of 10 ( Start time: 03:33:45 PM, 28 June 2022 )

Poor rapport is an example of which of the following error factor of measurement?

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Examinee related variables  |
| <input type="radio"/> | True scores of test         |

Question # 1 of 10 ( Start time: 03:50:17 PM, 28 June 2022 )

Total Marks: 1

In which of the following type of reliability, the test developer develops two alternate or parallel forms of the same test?

Select the correct option

- |                       |                  |
|-----------------------|------------------|
| <input type="radio"/> | Alternate-Form   |
| <input type="radio"/> | Split-Half       |
| <input type="radio"/> | Test-Retest      |
| <input type="radio"/> | Kuder Richardson |

[Click here for more information about Test Retest](#)

True/False questions are an example of:

Select the correct option

|                       |                           |
|-----------------------|---------------------------|
| <input type="radio"/> | Selected response format  |
| <input type="radio"/> | Nominated response format |
| <input type="radio"/> | Category format           |
| <input type="radio"/> | Likert format             |

Question # 3 of 10 ( Start time: 03:51:55 PM, 28 June 2022 )

Total Marks: 1

Following are the possible factors that may cause error in measurement EXCEPT:

Select the correct option

- |                                  |                             |
|----------------------------------|-----------------------------|
| <input checked="" type="radio"/> | True scores of test         |
| <input type="radio"/>            | Examinee related variables  |
| <input type="radio"/>            | Test related factors        |
| <input type="radio"/>            | Test administration process |

Total Marks: 100.00 (100.00%)

Question # 8 of 10 ( Start time: 03:45:55 PM, 28 June 2022 )

Verbal fluency is an example of:

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Content   |
| <input type="radio"/>            | Attitude  |
| <input type="radio"/>            | Verbatim  |

Question # 5 of 10 ( Start time: 03:42:58 PM, 28 June 2022 )

Total Marks: 1

When two or more examiners score the performance of a number of test takers and the coefficient is computed from these scores, it is known as what type of reliability?

Select the correct option

[Reload Math Equations](#)☐

Intra-class coefficient

☐

Coefficient Alpha

☐

Inter-rater or inter-scorer

☐

Kuder Richardson

[Go to the question bank to view all questions](#)

The extent to which items on a test appear to be meaningful and relevant to the construct being measured is called:

Select the correct option

[Reload Math Equations](#)

☒

Face validity

☐

Content validity

☐

Construct validity

☐

Predictive validity

Question # 3 of 10 ( Start time: 03:41:51 PM, 28 June 2022 )

Which of the following test refers to see a specific content area has been learnt and/ or mastery is acquired?

Select the correct option



|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Performance |
| <input type="radio"/> | Projective  |
| <input type="radio"/> | Personality |
| <input type="radio"/> | Achievement |

Click on the correct answer to move to the next question

Split half procedure uses odd-even format which is not suitable for:

Select the correct option

|                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Speed test        |
| <input type="radio"/> | Intelligence test |
| <input type="radio"/> | Power test        |
| <input type="radio"/> | Aptitude test     |

2021

Question # 10 of 10 ( Start time: 03:39:07 PM, 28 June 2022 )

In dichotomous format, probability of answering an item correctly by chance is:

Select the correct option

|                                  |       |
|----------------------------------|-------|
| <input type="radio"/>            | $1/5$ |
| <input checked="" type="radio"/> | $1/2$ |
| <input type="radio"/>            | $1/4$ |
| <input type="radio"/>            | $1/3$ |

Question # 4 of 10 ( Start time: 03:52:47 PM, 28 June 2022 )

Total Marks: 1

In which of the following type of items are multiple response options rather than alternate response options?

Select the correct option

|                                  |                          |
|----------------------------------|--------------------------|
| <input checked="" type="radio"/> | Polytomous format        |
| <input type="radio"/>            | Dichotomous format       |
| <input type="radio"/>            | Category format          |
| <input type="radio"/>            | Selected response format |

Copyright © 2014 Pearson Education, Inc. All rights reserved.

Question # 5 of 10 ( Start time: 03:53:56 PM, 28 June 2022 )

Total Marks: 1

\_\_\_\_\_ validity shows us the extent to which a test measures the same construct/trait as do other measures that have been designed and developed to measure the same construct/trait/ attribute.

Select the correct option

- |                       |              |
|-----------------------|--------------|
| <input type="radio"/> | Content      |
| <input type="radio"/> | Face         |
| <input type="radio"/> | Discriminant |
| <input type="radio"/> | Convergent   |

[Click to Save Answer & Move to Next Question](#)

According to \_\_\_\_\_, higher the score on the test, the higher the ability or the trait which is being measured.

Select the correct option

 Reload Math Equations

|                       |                  |
|-----------------------|------------------|
| <input type="radio"/> | Class model      |
| <input type="radio"/> | Ipsative scoring |
| <input type="radio"/> | Cumulative model |
| <input type="radio"/> | Lesson model     |

Go to the next question

Question # 9 of 10 ( Start time: 03:38:14 PM, 28 June 2022 )

In an MCQ question, the response options include one right answer and the others are called

Select the correct option

|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Layout      |
| <input type="radio"/> | Distractors |
| <input type="radio"/> | Stern       |
| <input type="radio"/> | Format      |

Question # 10 of 10 ( Start time: 03:59:21 PM, 28 June 2022 )

Total Marks: 1

Followings are the categories included in “Educational Testing Service’ s taxonomy” (1965) EXCEPT:

Select the correct option

☐

Remembering

☐

Understanding

☐

Application

☐

Thinking

Click to Give Answer & Mark as Next Question

A 10-point scale is an example of:

Select the correct option

☐

Category format

☐

Likert format

☐

Q – sort format

☐

Checklists

Question # 3 of 10 ( Start time: 03:31:59 PM, 28 June 2022 )

A 10-point scale is an example of:

Select the correct option

☐ Likert format

☐ Checklists

☐ Q-sort format

☐ Category format

Question # 2 of 10 ( Start time: 03:51:16 PM, 28 June 2022 )

Total Marks: 1

The question or the item statement in MCQs is called:

Select the correct option

- |                       |            |
|-----------------------|------------|
| <input type="radio"/> | Layout     |
| <input type="radio"/> | Format     |
| <input type="radio"/> | Distractor |
| <input type="radio"/> | Stem       |

© 2015 to 2022, Pearson Education, Inc. All Rights Reserved.

Question # 2 of 10 ( Start time: 03:31:09 PM, 28 June 2022 )

When items of intelligence test measures aptitude instead of intelligence, means test is not at all a \_\_\_\_\_

Select the correct option

|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Reliable    |
| <input type="radio"/> | Normative   |
| <input type="radio"/> | Valid       |
| <input type="radio"/> | Standardize |

valid



Question # 4 of 10 ( Start time: 03:32:57 PM, 28 June 2022 )

A test cannot be valid without being \_\_\_\_\_.

Select the correct option

|                                  |              |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Reliable     |
| <input type="radio"/>            | Normal       |
| <input type="radio"/>            | Customary    |
| <input type="radio"/>            | Standardized |

Question # 1 of 10 ( Start time: 03:40:11 PM, 28 June 2022 )

To measure test-retest reliability, \_\_\_\_\_ subjects and items are used.

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Many      |
| <input type="radio"/>            | Different |
| <input checked="" type="radio"/> | Same      |
| <input type="radio"/>            | Diverse   |

Question # 7 of 10 ( Start time: 03:36:33 PM, 28 June 2022 )

Identify the formula that is measuring observed score?

Select the correct option



$$X = T + F$$



$$X = R + E$$



$$X = T + E$$



$$X = R + F$$

Question # 1 of 10 ( Start time: 03:29:35 PM, 28 June 2022 )

Developing an item pool is a part of \_\_\_\_\_ construction.

Select the correct option

|                       |          |
|-----------------------|----------|
| <input type="radio"/> | Category |
| <input type="radio"/> | Item     |
| <input type="radio"/> | Test     |
| <input type="radio"/> | Likert   |

Which of the following table contains the probability of different criterion outcomes for persons who obtain each test score?

Select the correct option

[Reload Math Equations](#)

|                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Expectancy table  |
| <input type="radio"/> | Group table       |
| <input type="radio"/> | Test table        |
| <input type="radio"/> | Probability table |

Mechanical comprehension, speed of walking, neuroticism and anxiety is an example of:

Select the correct option

[Reload Math Equations](#)

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Content   |
| <input checked="" type="radio"/> | Construct |
| <input type="radio"/>            | Trait     |
| <input type="radio"/>            | Attitude  |

[Click to Save Answer & Move to Next Question](#)

To measure test-retest reliability, \_\_\_\_\_ subjects and items are used.

Select the correct option

 Reload Math Equations

☒

Same

☐

Many

☐

Diverse

☐

Different

There are situations when the criterion itself has been, partially or fully, based on predictor measures. This is called \_\_\_\_\_

Select the correct option

|                       |                         |
|-----------------------|-------------------------|
| <input type="radio"/> | Decontamination         |
| <input type="radio"/> | Criterion contamination |
| <input type="radio"/> | Criterion biasness      |
| <input type="radio"/> | Predictive functioning  |

Click to Save Answer

When items of intelligence test measures aptitude instead of intelligence; means test is not at all a \_\_\_\_\_ tool.

Select the correct option

 Reload Math Equations



Standardize



Valid



Normative



Reliable

Question # 2 of 10 ( Start time: 03:10:53 PM, 28 June 2022 )

Split half procedure uses odd-even format which is not suitable for:

Select the correct option



Speed test



Intelligence test



Aptitude test



Power test

When two or more examiners score the performance of a number of test takers and the coefficient is computed from these scores, it is known as what type of reliability?

Select the correct option

- |                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Inter-rater or inter-scorer |
| <input type="radio"/> | Intra-class coefficient     |
| <input type="radio"/> | Kuder Richardson            |
| <input type="radio"/> | Coefficient Alpha           |

Click to Save Answer & Move to Next Question

High scores in admission test can forecast a student's good academic performance in exams after admission. This relates to:

Select the correct option

|                                  |                     |
|----------------------------------|---------------------|
| <input type="radio"/>            | Criterion validity  |
| <input checked="" type="radio"/> | Predictive validity |
| <input type="radio"/>            | Construct validity  |
| <input type="radio"/>            | Concurrent validity |

Click to Save Answer & Move to Next Question

\_\_\_\_\_ validity evidence measures something different from what other available tests measure.

Select the correct option

- |                       |              |
|-----------------------|--------------|
| <input type="radio"/> | Convergent   |
| <input type="radio"/> | Discriminant |
| <input type="radio"/> | Content      |
| <input type="radio"/> | Construct    |

[Click to Save / answer](#) | [Mark to Read Question](#)

Question # 7 of 10 ( Start time: 02:47:20 PM, 29 June 2022 )

Total Marks: 1

In which of the following type of items are multiple response options rather than alternate response options?

Select the correct option

|                                  |                          |
|----------------------------------|--------------------------|
| <input type="radio"/>            | Category format          |
| <input type="radio"/>            | Selected response format |
| <input checked="" type="radio"/> | Polytomous format        |
| <input type="radio"/>            | Dichotomous format       |

[Click to Save Answer & Move to Next Question](#)

Which type of reliability does consider the errors of measure that may affect the findings?

Select the correct option

☐

Split-Half

☐

Alternate-Form

☐

Kuder Richardson

☐

Test-Retest



If a test taker is using written tests particularly the objective ones, \_\_\_\_\_ reliability is not a matter of concern.

Select the correct option

- |                                  |                  |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Inter scorer     |
| <input type="radio"/>            | Test-Retest      |
| <input type="radio"/>            | Alternate-Form   |
| <input type="radio"/>            | Kuder Richardson |

Clicking on the correct answer will award you 1 point

Rxy stands for the:

Select the correct option

|                       |                         |
|-----------------------|-------------------------|
| <input type="radio"/> | Alpha coefficient       |
| <input type="radio"/> | Criterion reliability   |
| <input type="radio"/> | Test reliability        |
| <input type="radio"/> | Coefficient of validity |

[Click to Save / Answer & Move to Next Question](#)

Question # 9 of 10 ( Start time: 08:37:43 PM, 28 June 2022 )

Total Marks: 1

Which of the validity pertains to prediction over a time interval?

Select the correct option

- |                       |                     |
|-----------------------|---------------------|
| <input type="radio"/> | Face validity       |
| <input type="radio"/> | Construct validity  |
| <input type="radio"/> | Content validity    |
| <input type="radio"/> | Predictive validity |

[Go Back](#) [Next Question](#)

The process of setting rules for assigning numbers in measurement is called:

Select the correct option

|                                  |            |
|----------------------------------|------------|
| <input type="radio"/>            | Statistics |
| <input type="radio"/>            | Norms      |
| <input checked="" type="radio"/> | Scaling    |
| <input type="radio"/>            | Counting   |

Question # 9 of 10 ( Start time: 02:49:10 PM, 29 June 2022 )

Total Marks: 1

Test scores obtained on self-efficacy scale is not positively correlated with scores on aptitude scale. Which of the following high validity does it reflect?

Select the correct option

|                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Convergent        |
| <input type="radio"/> | Content           |
| <input type="radio"/> | Discriminant      |
| <input type="radio"/> | Criterion-related |

[Click to view answer & move to next question](#)

When items of intelligence test measures aptitude instead of intelligence; means test is not at all a \_\_\_\_\_ tool.

Select the correct option

|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Standardize |
| <input type="radio"/> | Reliable    |
| <input type="radio"/> | Normative   |
| <input type="radio"/> | Valid       |

Click to Save Answer & Move to Next Question

Question # 3 of 10 ( Start time: 10:24:41 PM, 28 June 2022 )

Which of the following type of reliability is denoted by  $r_{tt}$ ?

Select the correct option

|                       |                  |
|-----------------------|------------------|
| <input type="radio"/> | Kuder Richardson |
| <input type="radio"/> | Test-Retest      |
| <input type="radio"/> | Split-Half       |
| <input type="radio"/> | Alternate-Form   |

Which of the following test refers to see a specific content area has been learnt and/ or mastery is acquired?

Select the correct option

- |                                  |             |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Achievement |
| <input type="radio"/>            | Performance |
| <input type="radio"/>            | Projective  |
| <input type="radio"/>            | Personality |

Click to Save Answer & Move to Next Question

In criterion-related validity, the measure of interest is:

Select the correct option

|                       |           |
|-----------------------|-----------|
| <input type="radio"/> | Stem      |
| <input type="radio"/> | Subject   |
| <input type="radio"/> | Standard  |
| <input type="radio"/> | Criterion |

Go to Question 1 of 10

The extent to which items on a test appear to be meaningful and relevant to the construct being measured is called:

Select the correct option

 Reload Math Equations

- |                       |                     |
|-----------------------|---------------------|
| <input type="radio"/> | Content validity    |
| <input type="radio"/> | Face validity       |
| <input type="radio"/> | Construct validity  |
| <input type="radio"/> | Predictive validity |

[Click to Stop Answer & Move to Next Question](#)

Split half procedure uses odd-even format which is not suitable for:

Select the correct option

|                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Intelligence test |
| <input type="radio"/>            | Power test        |
| <input checked="" type="radio"/> | Speed test        |
| <input type="radio"/>            | Aptitude test     |

\_\_\_\_\_ validity evidence measures something different from what other available tests measure.

Select the correct option

|                                  |              |
|----------------------------------|--------------|
| <input type="radio"/>            | Construct    |
| <input checked="" type="radio"/> | Discriminant |
| <input type="radio"/>            | Content      |
| <input type="radio"/>            | Convergent   |

Click to Save

Question # 5 of 10 ( Start time: 08:33:41 PM, 28 June 2022 )

Total Marks: 1

Standard error of measurement (SEM) is one way of expressing \_\_\_\_\_.

Select the correct option

|                                  |                 |
|----------------------------------|-----------------|
| <input type="radio"/>            | Standardization |
| <input checked="" type="radio"/> | Reliability     |
| <input type="radio"/>            | Norms           |
| <input type="radio"/>            | Validity        |

Click to Start Answer &amp; Move to Next Question

Which of the following formulas is used when items are scored as either zero or one?

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Kuder-Simoom       |
| <input type="radio"/> | Kuder-Richardson   |
| <input type="radio"/> | Regression Formula |
| <input type="radio"/> | Coefficient Alpha  |

[Click to Save Answer](#) [Click to Move to Next Question](#)

From the beginning up to the end, the examiner's mood variations might affect the result, is the disadvantage of:

Select the correct option

|                                  |                 |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | Group test      |
| <input type="radio"/>            | Army beta test  |
| <input type="radio"/>            | Army alpha test |
| <input type="radio"/>            | Individual test |

Click to Save

Question # 1 of 10 ( Start time: 10:54:03 PM, 28 June 2022 )

Total Marks: 1

A 10-point scale is an example of:

Select the correct option

☐

Likert format

☐

Checklists

☐

Q-sort format

☐

Category format



Question # 7 of 10 ( Start time: 10:44:20 PM, 28 June 2022 )

When domain reference test is used to assess the achievement of certain skills or contents, then it is known as:

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Summative Tests    |
| <input type="radio"/> | Mastery tests      |
| <input type="radio"/> | Intelligence tests |
| <input type="radio"/> | Aptitude tests     |

Which of the following formulas is used when items are scored as either zero or one?

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Regression Formula |
| <input type="radio"/> | Coefficient Alpha  |
| <input type="radio"/> | Kuder-Simoom       |
| <input type="radio"/> | Kuder-Richardson   |



Question # 5 of 10 ( Start time: 02:45:13 PM, 29 June 2022 )

Total Marks: 1

Followings are the major categories of instructional objectives in this taxonomy EXCEPT:

Select the correct option

|                                  |             |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Standard    |
| <input type="radio"/>            | Analysis    |
| <input type="radio"/>            | Knowledge   |
| <input type="radio"/>            | Application |

[Click on Correct Answer to View Solution](#)

A set of numbers whose properties are typical to the empirical properties of the objects or traits to which numbers are assigned is called:

Select the correct option

|                       |            |
|-----------------------|------------|
| <input type="radio"/> | Counting   |
| <input type="radio"/> | Scale      |
| <input type="radio"/> | Norms      |
| <input type="radio"/> | Statistics |

Question # 6 of 10 ( Start time: 10:28:19 PM, 28 June 2022 )

Poor rapport is an example of which of the following error factor of measurement?

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | True scores of test         |
| <input type="radio"/> | Examinee related variables  |

When two or more examiners score the performance of a number of test takers and the coefficient is computed from these scores, it is known as what type of reliability?

Select the correct option

|                                  |                             |
|----------------------------------|-----------------------------|
| <input type="radio"/>            | Kuder Richardson            |
| <input type="radio"/>            | Inter-rater or inter-scorer |
| <input type="radio"/>            | Coefficient Alpha           |
| <input checked="" type="radio"/> | Intra-class coefficient     |

Click to Save Answer & Move to Next Question

Following are the possible factors that may cause error in measurement EXCEPT:

Select the correct option

- |                                  |                             |
|----------------------------------|-----------------------------|
| <input type="radio"/>            | Test administration process |
| <input checked="" type="radio"/> | True scores of test         |
| <input type="radio"/>            | Examinee related variables  |
| <input type="radio"/>            | Test related factors        |

Click to Save Answer or Move to Next Question

Question # 10 of 10 ( **Start time: 10:47:05 PM, 28 June 2022** )

To measure test-retest reliability, \_\_\_\_\_ subjects and items are used.

Select the correct option

|                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Diverse   |
| <input type="radio"/>            | Different |
| <input checked="" type="radio"/> | Same      |
| <input type="radio"/>            | Many      |

Question # 7 of 10 ( Start time: 09:26:55 PM, 28 June 2022 )

Identify the formula that is measuring observed score?

Select the correct option

|                                  |             |
|----------------------------------|-------------|
| <input type="radio"/>            | $X = R + E$ |
| <input type="radio"/>            | $X = T + F$ |
| <input checked="" type="radio"/> | $X = T + E$ |
| <input type="radio"/>            | $X = R + F$ |

The ratio of true score variance to observed score variance is called:

Select the correct option

☐

Regular

☐

Valid

☐

Normative

☒

Reliable

Click to view answer / How do I report a problem?

Question # 6 of 10 ( Start time: 10:57:30 PM, 28 June 2022 )

Total Marks: 1

Which of the following test refers to see a specific content area has been learnt and/ or mastery is acquired?

Select the correct option

|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Performance |
| <input type="radio"/> | Achievement |
| <input type="radio"/> | Projective  |
| <input type="radio"/> | Personality |

Followings are the categories included in "Educational Testing Service's taxonomy" (1965) EXCEPT:

Select the correct option

☐

Understanding

☐

Remembering

☐

Thinking

☐

Application

Question # 3 of 10 ( Start time: 10:55:24 PM, 28 June 2022 )

Total Marks: 1

Followings are the major categories of instructional objectives in this taxonomy EXCEPT:

Select the correct option

- |                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Application |
| <input type="radio"/> | Standard    |
| <input type="radio"/> | Knowledge   |
| <input type="radio"/> | Analysis    |

Which of the following formulas is used when items are scored as either zero or one?

Select the correct option

☐

Kuder-Simoom

☐

Kuder-Richardson

☐

Regression Formula

☐

Coefficient Alpha

Click to Give Answer Follow to Post Question

Question # 10 of 10 ( Start time: 08:38:30 PM, 28 June 2022 )

Total Marks: 1

The sum of true score and error is known as:

Select the correct option

|                       |                |
|-----------------------|----------------|
| <input type="radio"/> | Sum score      |
| <input type="radio"/> | Measured score |
| <input type="radio"/> | True score     |
| <input type="radio"/> | Observed score |

Go to Next Answer & View of Next Question

Concurrent validity is a type of:

Select the correct option

|                       |                            |
|-----------------------|----------------------------|
| <input type="radio"/> | Construct validity         |
| <input type="radio"/> | Content validity           |
| <input type="radio"/> | Face validity              |
| <input type="radio"/> | Criterion-related Validity |

[Click to Save Answer & Move to Next](#)

Mr. Ali, a computer teacher, asked his students to type as many words as possible in MS word in 30 seconds. This is an example of:

Select the correct option

- |                       |                   |
|-----------------------|-------------------|
| <input type="radio"/> | Intelligence test |
| <input type="radio"/> | Personality test  |
| <input type="radio"/> | Aptitude test     |
| <input type="radio"/> | Speed test        |

How much a student has possibility to answer correctly simply by chance in MCQ type question with four options?

Select the correct option

- |                       |     |
|-----------------------|-----|
| <input type="radio"/> | 25% |
| <input type="radio"/> | 40% |
| <input type="radio"/> | 20% |
| <input type="radio"/> | 30% |

Question # 8 of 10 ( Start time: 10:30:36 PM, 28 June 2022 )

\_\_\_\_\_ validity may be used where prediction or inference are not involved:

Select the correct option

|                                  |                   |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | Face              |
| <input type="radio"/>            | Criterion related |
| <input type="radio"/>            | Predictive        |
| <input type="radio"/>            | Content           |

Which of the following types of tests are commonly used in education?

Select the correct option

|                                  |                       |
|----------------------------------|-----------------------|
| <input checked="" type="radio"/> | Domain- referenced    |
| <input type="radio"/>            | Diagnostic-referenced |
| <input type="radio"/>            | Criterion-referenced  |
| <input type="radio"/>            | Norm-referenced       |

Click to Save / Answer / Move to Next Question

Question # 4 of 10 ( Start time: 10:25:33 PM, 28 June 2022 )

In test construction, statistical procedures collectively referred to as:

Select the correct option

|                       |               |
|-----------------------|---------------|
| <input type="radio"/> | Norms         |
| <input type="radio"/> | Regression    |
| <input type="radio"/> | Correlation   |
| <input type="radio"/> | Item analysis |

Question # 7 of 10 ( Start time: 08:24:55 PM, 28 June 2022 )

In which of the following type of reliability, the test developer develops two alternate or parallel forms of the same test?

Select the correct option

☐

Kuder Richardson

☐

Split-Half

☐

Test-Retest

☒

Alternate-Form

Click to Save

Inter scorer reliability is a significant matter in case of which of the following test?

Select the correct option

☐

Language

☐

Written

☒

Oral

☐

Aptitude

Question # 2 of 10 ( Start time: 10:23:42 PM, 28 June 2022 )

Which of the following type is not validity in the technical sense; nor is it technically measured?

Select the correct option

|                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Content           |
| <input checked="" type="radio"/> | Face              |
| <input type="radio"/>            | Predictive        |
| <input type="radio"/>            | Criterion related |

Individual difference is an example of which of the following error factor of measurement?

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | True scores of test         |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | Examinee related variables  |

Click to Save Answer & Move to Next Question

Test conceptualization is the \_\_\_\_\_ step in test construction.

Select the correct option

|                       |        |
|-----------------------|--------|
| <input type="radio"/> | Forth  |
| <input type="radio"/> | First  |
| <input type="radio"/> | Fifth  |
| <input type="radio"/> | Second |

© 2022 All Rights Reserved. All Rights Reserved.

Question # 3 of 10 ( Start time: 08:21:36 PM, 28 June 2022 )

Length of the test is an example of which of the following error factor of measurement?

Select the correct option

|                       |                             |
|-----------------------|-----------------------------|
| <input type="radio"/> | True scores of tests        |
| <input type="radio"/> | Test administration process |
| <input type="radio"/> | Test related factors        |
| <input type="radio"/> | Examinee related variables  |

Question # 4 of 10 ( Start time: 08:32:54 PM, 28 June 2022 )

Total Marks: 1

Which type of reliability does consider the errors of measure that may affect the findings?

Select the correct option

|                       |                  |
|-----------------------|------------------|
| <input type="radio"/> | Alternate-Form   |
| <input type="radio"/> | Kuder Richardson |
| <input type="radio"/> | Test-Retest      |
| <input type="radio"/> | Split-Half       |

[Click here to go to the next question](#)

Question # 10 of 10 ( Start time: 08:27:53 PM, 28 June 2022 )

A test cannot be valid without being \_\_\_\_\_.

Select the correct option



Normal



Reliable



Customary



Standardized

Question # 3 of 10 ( Start time: 08:32:02 PM, 28 June 2022 )

Total Marks: 1

In test construction, statistical procedures collectively referred to as:

Select the correct option

|                       |               |
|-----------------------|---------------|
| <input type="radio"/> | Regression    |
| <input type="radio"/> | Correlation   |
| <input type="radio"/> | Norms         |
| <input type="radio"/> | Item analysis |

[Click to Save Answer & Report to Next Question](#)

Followings are the major categories of instructional objectives in this taxonomy EXCEPT:

Select the correct option

|                       |             |
|-----------------------|-------------|
| <input type="radio"/> | Knowledge   |
| <input type="radio"/> | Application |
| <input type="radio"/> | Analysis    |
| <input type="radio"/> | Standard    |

Question # 9 of 10 ( Start time: 10:31:34 PM, 28 June 2022 )

An informed scientific idea developed to describe or explain any behavior is called:

Select the correct option

|                       |           |
|-----------------------|-----------|
| <input type="radio"/> | Concept   |
| <input type="radio"/> | Attitude  |
| <input type="radio"/> | Construct |
| <input type="radio"/> | Content   |

Question # 6 of 10 ( Start time: 10:43:41 PM, 28 June 2022 )

Split half procedure use odd-even format which is not suitable for:

Select the correct option

|                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Aptitude test     |
| <input checked="" type="radio"/> | Speed test        |
| <input type="radio"/>            | Power test        |
| <input type="radio"/>            | Intelligence test |

# 9 of 10 ( Start time: 08:26:53 PM, 28 June 2022 )

\_\_\_\_\_ tests are one of those tests whose reliability deserves extra concern and care.

correct option

Projective

Speed



Written

Power

Question # 4 of 10 ( **Start time: 08:22:40 PM, 28 June 2022** )

Which of the following is the most significant feature of domain referenced tests?

Select the correct option

|                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Easy to understand |
| <input type="radio"/> | Content meaning    |
| <input type="radio"/> | Clarity            |
| <input type="radio"/> | Expressive         |

If a test taker is using written tests particularly the objective ones, \_\_\_\_\_ reliability is not a matter of concern.

Select the correct option

|                                  |                  |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Inter scorer     |
| <input type="radio"/>            | Test-Retest      |
| <input type="radio"/>            | Kuder Richardson |
| <input type="radio"/>            | Alternate-Form   |

[Click to Save Answer & Move to Next Question](#)

Relationship between two variables is indicated by:

Select the correct option

|                                  |             |
|----------------------------------|-------------|
| <input type="radio"/>            | Regression  |
| <input checked="" type="radio"/> | Coefficient |
| <input type="radio"/>            | Constant    |
| <input type="radio"/>            | Variance    |

Created by CamScanner

When a test taker has a tendency to agree with more than one item at the same time, then this situation is called:

Select the correct option

- ☐ Resistance response set
- ☐ Rejection response set
- ☒ Acquiescence response set
- ☐ Confrontation response set

Followings are the basic qualities of a good psychological test EXCEPT:

Select the correct option

☐ Reliability

☐ Comprehension

☐ Standardization

☐ Validity

Question # 6 of 10 ( **Start time: 08:24:01 PM, 28 June 2022** )

**Rxy stands for the:**

**Select the correct option**

|                       |                                                                                                              |
|-----------------------|--------------------------------------------------------------------------------------------------------------|
| <input type="radio"/> | Alpha coefficient                                                                                            |
| <input type="radio"/> | Test reliability                                                                                             |
| <input type="radio"/> | Criterion reliability                                                                                        |
| <input type="radio"/> | Coefficient of validity  |

Odd-even distribution is used in:

Select the correct option

- ☐ Inter-Observer Reliability
- ☐ Internal Consistency Reliability
- ☐ Split- Half Reliability
- ☐ Test-Retest Reliability

In class test, Mr. Salman gave true versus false questions to his students along with subjective questions. True and false questions are an example of:

Select the correct option

|                       |                           |
|-----------------------|---------------------------|
| <input type="radio"/> | Category format           |
| <input type="radio"/> | Dichotomous format        |
| <input type="radio"/> | Nominated-response format |
| <input type="radio"/> | Selected-response format  |

Click to Study Answer & Mark as Correct Question