CS202

Final Term Current Paper 2026
Prepared By: Khan Saab

Objective Part

1. The jQuery ____method allows you to create custom animations.

A. animate()

B. animation()

C. custom()

D. customanimate()

2. How many different syntaxes for attributes are allowed by HTML5?

A. 3

B. 4

C. 6

D. —

3. Which event will fire every time when the mouse is moved while the object is being dragged?

Prepared By Khan Saab

A. Drop

B. Dragend

C. Dragstart

D. Drag

4. Which of the following property specifies the speed curve of the transition effect?

A. Transition-curve-function

B. Transition-timing-function

C. Transition-timing & curve function

D. None of the given

5. The defer attribute specifies that the script should be executed after the page has finished parsing. Works for

A. None of the given options

B. Internal Scripts only

C. External Scripts only

D. For both internal and external

6. The margin property can have maximum __ values.

A. One

B. Two

C. Three

D. Four

Prepared By Khan Saab

7. HTML 5 introduced the __ element which lets you define more then one image.

A. <picture>

B. <image>

C. <images>

D. <srcset>

8. What is the default value of opacity?

A. 0

B. 1

C. 2

D. 3

9. The XML namespace is defined by the ___ in the start tag of element.

A. Nanospaces attribute

B. DTD attribute

C. XMLNs attribute

D. TD attribute

10. To clear a local storage all setting you would need to call is?

A. localStorage.remove('key')

B. localStorage.clear()

C. localStorage.clean()

Prepared By Khan Saab

D. localStorage.delete()

11. Which of the following validation is performed by a web browser before input is sent to a web server?

A. Server Side validation

B. Client Side validation

C. Both Server and Client side validation

D. None of the given

12. The noConflict() method of jQuery releases the hold on the _ shortcut identifier.

A. $

B. @

C. #

D. %

13. In HSLA colour values, alpha parameter defines the _.

A. Saturation

B. Opacity

C. Colour

D. Lightness

14. If we want the background image to stretch to cover the entire content area then background-size property will be set to

A. 100% 100%

Prepared By Khan Saab

B. 100% 0%

C. 0% 100%

D. 10% 10%

15. The hover() event is the combination of _ and _ events.

A. mouseup() and mousedown()

B. mouseenter() and mousedown()

C. mouseup() and mouseleave()

D. mouseenter() and mouseleave()

16. The id selector uses the id attribute of the HTML element, and is defined with a __.

A. @

B. %

C. #

D. &

17. With the jQuery AJAX methods, you can request text, HTML, XML, or JSON from a remote server using _ method(s).

A. Both HTTP Get and HTTP Post

B. FTP Post

C. HTTP Post

D. HTTP Get

18. XPath stand for _.

Prepared By Khan Saab

A. eXtensible Path location

B. XML Path language

C. extra Path language

D. eXpressible Path location

19. XSLT stands for _.

A. eXtensible Stocksheet Language Transformation

B. extensible Stocksheet language Template

C. eXtensible stylesheet Language Transformation

D. Xpresible stylesheet lang Transformations

20. XML and DTD stand for _.

A. Data Type Demand

B. Document Type Definition

C. Document Temporary Definition

D. None of the given

21. In jQuery, The largest category of traversal method is _ traversal.

A. key

B. hash

C. tree

D. function

22. DOM can be explained with the help of _.

Prepared By Khan Saab

A. Mathematical model

B. Structured programming approach

C. Functional programming approach

D. A family tree model

23. GET is _ POST method.

A. Not widely used then

B. Simpler and faster than

C. Inherited from

D. Complex than

24. AJAX is based on _.

A. Organizational Policies

B. HTML only

C. Java only

D. Internet Standards

25. AJAX stands for:

A. Asynchronous JavaScript and XML

B. Advanced JavaScript and XML

C. Asynchronous Java and XML

D. None

26. Which of the following automatically become members of the window object?

Prepared By Khan Saab

A. Global JS objects only

B. Functions only

C. Variables only

D. All of the given

27. The setInterval() method will continue calling the function until which method is called?

A. initInterval()

B. clearInterval()

C. exitInterval()

D. terminateInterval()

28. fadeIn() method of jQuery fades

A. for java elements only

B. the selected element

C. for HTML elements only

D. for all elements

29. To control space between the border and content in a table, which property on <td> and <th> elements is applied?

A. Spacing

B. Border

C. Padding

D. Both spacing and border

Prepared By Khan Saab

30. Media Query uses the _ rule to include a block of CSS properties only if a certain condition is true.

A. @ media query

B. @ media

C. @ query media

D. None of the given

31. In HTML5, an article element can be used for:

A. Blog post

B. Forum post

C. Newspaper article

D. All of the given

32. Which of the following allows data to be shared and reused across applications, enterprises and communities?

A. Semantic Web

B. Non-semantic web

C. Both Semantic and Non semantic web

D. None of the given options

33. In JavaScript, The pop() method removes the __ element from an array

A. First

B. Second

Prepared By Khan Saab

C. Middle

D. Last

34. CSS3 supports __ RGBA color, HSL color, HSLA color

A. All of the given options

B. RGBA only

C. HSL only

D. HSLA only

35. Which of the following allows web designers to take control over the viewport?

A. <view>

B. <meta>

C. <control>

D. None

36. HTML5 standard supports __ audio formats

A. MP3

B. WAV

C. Ogg

D. All of the given

37. Which is not true about canvas?

A. A canvas is rectangular area on an HTML page

B. By default a canvas has no border

Prepared By Khan Saab

C. By default, a canvas has black border but no content

D. By default, a canvas has no content

**38. Choose the option which can be used to select the following element in jQuery **

A. $('.demo')

B. $('demo')

C. $('*.demo')

D. var('demo')

39. jQuery provided easy to use methods for creating animation effects using jQuery _ methods

A. Action

B. Attribute

C. Class

D. Effects

40. Which of the following HTML element defines a part of text that might be formatted in a different direction from other text (bidi override)?

A. `<bdi>`

B. `<bdo>`

C. `<span>`

D. `<div>`

Prepared By Khan Saab

41. __is a JavaScript reserved word indicating that a value is not a number.

A. undefined

B. null

C. NaN

D. false

42. Which HTML5 element is used to draw graphics via scripting (JavaScript)?

A. `<svg>`

B. `<canvas>`

C. `<img>`

D. `<figure>`

43. The __method sorts an array alphabetically in JavaScript.

A. arrange()

B. order()

C. sort()

D. organize()

Prepared By Khan Saab

44. With shorthand margin property, which of the following margins change at once.

A. Top only

B. Left only

C. Right only

D. All of the given options

45. Which of the following methods are provided by jQuery for CSS manipulation?

A. addClass()

B. toggleClass()

C. removeClass()

D. All of the given options

46. DOM stands for:

A. Document Oriented Model

B. Data Object Model

C. Document Object Model

D. Display Object Model

Prepared By Khan Saab

47. `<Meta>` viewport element gives instructions to the browser to control:

A. Scrolling

B. Dimension and viewport

C. Font size

D. Color scheme

48. HTML Constraint validation was introduced in:

A. HTML3

B. HTML4

C. HTML5

D. HTML6

49. In jQuery, ___method allows us to execute a function when the document is fully loaded.

A. Ready()

B. Load()

C. Focus()

D. Change()

Prepared By Khan Saab

50. Which of the following keywords is used to define a JavaScript function?

A. func

B. function

C. define Function

D. makefunction

Prepared By Khan Saab