Great! Here's a set of **50 multiple choice questions (MCQs)** from **jQuery**, covering beginner to intermediate concepts. These are useful for exams, quizzes, and interviews.

□ jQuery MCQs (1–50)

Basics

1. jQuery is a:
   - a) JavaScript library ✅
   - b) Programming language
   - c) Database
   - d) Framework
2. What does `$("p")` select?
   - a) All classes named "p"
   - b) All `<p>` elements ✅
   - c) The first paragraph only
   - d) None
3. Which symbol is used for jQuery?
   - a) $ ✅
   - b) #
   - c) &
   - d) @
4. jQuery is written in:
   - a) Python
   - b) Java
   - c) JavaScript ✅
   - d) PHP
5. What is the correct syntax to include jQuery?
   - a) `<script src="jquery.js"></script>` ✅
   - b) `<link href="jquery.js">`
   - c) `<import jquery>`
   - d) `<include src="jquery">`
6. Which method is used to hide selected elements?
   - a) hide() ✅
   - b) invisible()
   - c) display(none)
   - d) remove()
7. What is the use of `$(document).ready()`?
   - a) Executes code before HTML loads
   - b) Waits until DOM is ready ✅
   - c) Reloads the page
   - d) None of the above
8. Which method is used to perform animation in jQuery?

- a) motion()
- b) move()
- c) animate() ✅
- d) slide()

9. `$("#id")` selects:
   - a) Class
   - b) Element
   - c) ID ✅
   - d) All of the above
10. How do you add a class in jQuery?
    - a) addClass() ✅
    - b) add()
    - c) classAdd()
    - d) includeClass()

Intermediate Level

11. `$('div').click(function(){})` is used to:
    - a) Load content
    - b) Handle hover
    - c) Handle click ✅
    - d) Change color
12. jQuery chaining means:
    - a) Writing nested code
    - b) Combining multiple methods ✅
    - c) Writing long code
    - d) Combining CSS files
13. Which function removes an element?
    - a) erase()
    - b) remove() ✅
    - c) delete()
    - d) clear()
14. Which event is triggered when a key is pressed?
    - a) keypress ✅
    - b) keyup
    - c) keydown
    - d) input
15. How do you toggle visibility of an element?
    - a) visible()
    - b) toggle() ✅
    - c) hideShow()
    - d) switch()
16. How can you get the value of an input field?

- a) .val() ✅
- b) .value()
- c) .input()
- d) .text()

17. Which jQuery method is used to stop a currently running animation?
    - a) halt()
    - b) finish()
    - c) stop() ✅
    - d) break()
18. `fadeOut()` is used to:
    - a) Increase opacity
    - b) Hide element slowly ✅
    - c) Remove element
    - d) Change text
19. What will `$(this)` refer to inside a click event?
    - a) Document
    - b) Current element ✅
    - c) Parent element
    - d) None
20. How do you select elements with class `.demo`?
    - a) $("#demo")
    - b) $(.demo)
    - c) $(".demo") ✅
    - d) $("demo")

Effects and DOM

21. What does `fadeIn()` do?
    - a) Adds blur
    - b) Shows element with fade effect ✅
    - c) Animates border
    - d) Inverts image
22. What does `slideToggle()` do?
    - a) Slides left
    - b) Slides up/down toggle ✅
    - c) Rotates
    - d) Zooms
23. Which method appends content to the end of selected elements?
    - a) add()
    - b) append() ✅
    - c) insert()
    - d) push()
24. How can you get the HTML content of an element?

- a) .val()
- b) .text()
- c) .html() ✅
- d) .content()

25. `empty()` will:
    - a) Hide element
    - b) Remove all content ✅
    - c) Remove the element
    - d) Do nothing
26. Which jQuery method is used to prevent default action?
    - a) stop()
    - b) cancel()
    - c) preventDefault() ✅
    - d) return false
27. What does `.css()` method do?
    - a) Add stylesheet
    - b) Change HTML
    - c) Set/get CSS ✅
    - d) Create class
28. Which jQuery function is used to load data asynchronously?
    - a) fetch()
    - b) load() ✅
    - c) get()
    - d) pull()
29. What does `.text()` method return?
    - a) HTML
    - b) CSS
    - c) Plain text ✅
    - d) None
30. Which method adds content before an element?
    - a) append()
    - b) prepend()
    - c) before() ✅
    - d) insert()

Advanced Concepts

31. `$.each()` is used for:
    - a) Iteration ✅
    - b) Conditions
    - c) Validation
    - d) Binding
32. Which function checks if an element has a class?

- a) isClass()
- b) hasClass() ✅
- c) findClass()
- d) classExists()

33. jQuery supports AJAX?
    - a) Yes ✅
    - b) No
34. Which method loads external data into an element?
    - a) insert()
    - b) ajax()
    - c) load() ✅
    - d) fetch()
35. `parent()` returns:
    - a) All children
    - b) Only direct parent ✅
    - c) All siblings
    - d) Entire tree
36. `siblings()` returns:
    - a) Parent
    - b) Children
    - c) Elements with same parent ✅
    - d) None
37. Which method stops event bubbling?
    - a) preventDefault()
    - b) stopPropagation() ✅
    - c) stopEvent()
    - d) killBubble()
38. Which of the following is a CDN for jQuery?
    - a) Microsoft
    - b) Google
    - c) jQuery CDN
    - d) All of the above ✅
39. What does `trigger()` do?
    - a) Hides an element
    - b) Triggers event manually ✅
    - c) Adds CSS
    - d) Clears data
40. How do you make a jQuery AJAX GET request?
    - a) $.get() ✅
    - b) $.fetch()
    - c) $.pull()
    - d) $.retrieve()

Bonus Conceptual Questions

41. Can jQuery be used with other libraries?
    - a) No
    - b) Yes ✅
42. What does `$.noConflict()` do?
    - a) Resolves `$` conflicts ✅
    - b) Disables jQuery
    - c) Clears memory
    - d) Reloads page
43. What type of return does `.attr()` give?
    - a) Value of attribute ✅
    - b) Text
    - c) HTML
    - d) None
44. `:visible` is a:
    - a) Selector ✅
    - b) Property
    - c) Tag
    - d) Method
45. `unbind()` method:
    - a) Binds event
    - b) Removes event ✅
    - c) Refreshes page
    - d) Adds animation
46. jQuery is:
    - a) Server-side
    - b) Client-side ✅
    - c) Backend
    - d) None
47. Which method is used to delay animations?
    - a) delay() ✅
    - b) wait()
    - c) pause()
    - d) hold()
48. What does `slideUp()` do?
    - a) Scrolls
    - b) Slides element up and hides ✅
    - c) Moves text
    - d) Inverts image
49. What does `serialize()` do?
    - a) Turns form into JSON
    - b) Turns form data into string ✅
    - c) Clears form
    - d) Saves data

50. Which version introduced chaining in jQuery?
    - a) 1.0
    - b) 1.1 ✓
    - c) 2.0
    - d) 3.0

Let me know if you'd like these in **PDF format**, with **answers highlighted**, or if you want a **practice quiz format**!