CS402-Theory of Automata

(Solved MCS's)

LECTURE FROM

(23 to 45)

Junaidfazal08@gmail.com
Bc190202640@vu.edu.pk

FOR MORE VISIT
VULMSHELP.COME

JUNAID MALIK
0304-1659294

AL-JUNAID TECH INSTITUTE

www.vulmshelp.com





Language Courses Training Available

I'm providing paid courses in different languages within 3 Months,Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- JQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

LMS Handling Services

LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294
Email: junaidfazal08@gmail.com

AL-JUNAID INSTITUTE GROUP

ALL answers are verified if found any mistake then Correct ACCORDINGLY

1. If Σ = {aa, bb} , then Σ* will not contain
- **aaabbb**
- aabbbb
- aabbaa
- bbaabbbb
2. "One language can have _____TG"s".
- Only one
- Only two
- **More than one**
- Only three
3. According to 1st part of the Kleene"s theorem, If a language can be accepted by an FA then it can be accepted by a _____as well.
- FA
- CFG
- GTG
- **TG**
4. Even-palindrome is a _____language.
- **Non-regular**
- Regular
- Regular but infinite
- Regular but finite
5. If L is a regular language then, Lc is also a _____language.
- **Regular (Page 66)**
- Non-regular
- Regular but finite

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- None of the given

6. Pumping lemma is generally used to prove that:

- A given language is infinite
- **A given language is not regular**
- Whether two given regular expressions of a regular language are equivalent or not
- None of these

7. the FA has N states, then test the words of length less than N. If no word is accepted by this FA, then it will_____word/words.

- accept all
- **accept no (Page 85)**
- accept some
- reject no

8. In CFG, the symbols that can't be replaced by anything are called_____.

- **Terminal (Page 87)**
- Non-Terminal
- Production
- All of given

9. Which of the following is a regular language?

- **String of odd number of zeroes**
- Set of all palindromes made up of 0"s and 1"s
- String of 0"s whose length is a prime number
- All of these

10. Which of the following pairs of regular expressions are equivalent?

- 1(001)* and (10)*10
- **x(xx)* and (x)*x**
- X + and X*
- X + and X* X +

11. An alphabet of Σ is valid if

AL-JUNAID TECH INSTITUTE
0304-1689294
www.vulmshelp.com

- No letter of Σ appears in middle of any other letter
- No letter of Σ appears at end of any other letter
- **No letter of Σ appears at start of any other letter**
- No letter of Σ appears at end or middle of any other letter

12. Which of the following statement is true

- **The length of the output string is greater than length of input string in moore machine.**
- The length of the output string is greater than length of input string in mealy machine.
- The length of the output string is equal to length of input string in moore machine.
- The length of the output string is less than length of input string in mealy machine.

13. If a CFG has only productions of the form nonterminal → string of two nonterminals or nonterminal → one terminal then the CFG is said to be in _____

- **Chomsky Normal Form**
- Ambiguous Form
- Left Aligned Form
- Right Aligned Form

14. We can also represent an FA using different states e.g Accept state; Reject state, Read state etc. The_____state behaves as final state of an FA

- **Accept (Page 105)**
- Pop
- Push
- Reject

15. where the input string is placed before it is run, is called _____

- Date tape
- **Input Tape (Page 105)**
- Output Tape

0304-1659294 www.vulmshelp.com

- Magnetic tape

16. An FSM can be considered as TM

- Of finite tape length, rewinding capability and unidirectional tape movement
- Of finite tape length, without rewinding capability and bidirectional tape movement
- Of finite tape length, rewinding capability and bidirectional tape movement
- **Of finite tape length, without rewinding capability and unidirectional tape movement**

17. The process of finding the derivation of the word generated by particular grammar is called _____

- Processing
- **Parsing (Page 136)**
- Programming
- Planning

18. The first rule of converting the given "CFG in CNF", is _____

- CNK algorithm
- **CYK algorithm (Page 135) Algorithm 4 (The CYK algorithm)**
- CKY algorithm
- KYC algorithm

19. Alphabet Σ = {a, bc, cc} has number of letters

- One
- Two
- **Three**
- Four

20. We cannot write regular expressions for all_____.

- FA"s
- TG"s
- NFA"s
- **CFG's (Page 97)**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

21. For every Context Free Grammar (CFG), we can make the corresponding_____.

- FA
- TG
- **PDA**
- Regular Grammar

22. Pumping Lemma II says that length(x) + length(y) should be _____.

- **Less than number of states (Page 75)**
- Equal to number of states
- Greater than number of states
- Greater than or equal to number of states

23. Chomsky normal form (CYK) algorithm was proposed by _____.

- **John cock (Page 135)**
- James Cock
- Daniel I.A.
- John Weiss

24. The language of Palindromes defined over an alphabet set {a, b} can be recognized by_____.

- FA
- NFA
- TG
- **PDA**

25. Which of the following is the first phase of compiler on the basis of functionality?

- Parser
- Lexical analyzer
- **Scanner**
- Interpreter

26. (Σ* - L) represent the _____of a language L.

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- **Complement (Page 66)**
- Kleene‟s closure
- Union
- intersection

27. If we have two transition graphs then their union will be expressed by

- **taking a common start state and joining them by two null transitions (Page 65)**
- just connecting both start states by null transitions
- connecting final state of first TG to the initial state of second TG
- connecting the final state of first TG to the final state of second TG

28. _____and_____are removed in order to make a CFG in Chomsky Normal Form(CNF).

- Null, nullable productions
- Nullable , unit productions
- **Null, unit productions (Page 102)**
- String of length 0, null

29. If L1 and L2 are expressed by regular languages then L1 + L2 is also a_____Language.

- **Regular (Page 10)**
- Ir-regular
- PDA
- Hybrid

30. Which of the following is a regular Context Free Grammar:

- **S → abS| baS | ^ ab(ab+ba)*ba + ba(ab+ba)*ab**
- S → aSb| baS | ^
- S → abS| bSa | ^
- S → aSb| Sa | ^

31. A read state can have _____outgoing edge/ edges.

- 1
- 2

0304-1659294 www.vulmshelp.com

- 3
- **Any number of (Page 111)**

32. Who did not invent the Turing machine?

- Alan Turing
- **A. M. Turing (Page 140)**
- Turing
- None of these

33. Which statement is true?

- **The tape of turing machine is infinite. (Page 140)**
- The tape of turing machine is finite.
- The tape of turing machine is infinite when the language is regular
- The tape of turing machine is finite when the language is nonregular.

34. Every regular expression can be expressed as CFG but every CFG cannot be expressed as a regular expression. This statement is:

- Depends on the language
- None of the given options
- **True (Page 97)**
- False

35. Consider the language L of strings, defined over Σ = {a,b}, ending in a

- **There are finite many classes generated by L, so L is regular (Page 76)**
- There are infinite many classes generated by L, so L is regular
- There are finite many classes generated by L, so L is non-regular
- There are infinite many classes generated by L, so L is non-regular

36. The word „formal“ in formal languages means

► The symbols used have well defined meaning

► They are unnecessary, in reality

► **Only the form of the string of symbols is significant**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.aljunaidhelp.com

► None of these

37. Let A = {0, 1}. The number of possible strings of length „n‟ that can be formed by the elements of the set A is

► n!

► n2

► nm

► 2n

38. Choose the correct statement.

► A Mealy machine generates no language as such

► A Moore machine generates no language as such

► A Mealy machine has no terminal state

► All of these

39. TM is more powerful than FSM because

► The tape movement is confined to one direction

► It has no finite state control

► It has the capability to remember arbitrary long sequences of input symbols

► None of these

40. Like TG, a PDA can also be non-deterministic

- **True (Page 111)**
- False

41. The language of all words (made up of a‟s and b‟s) with at least two a‟s can not be described by the regular expression.

- a(a+b)*a(a+b)*(a+b)*ab*

AL-JUNAID TECH INSTITUTE
0304 1039294
www.vulmshelp.com

- (a+b)* ab* a(a+b)*
- b*ab* a(a+b)*
- **none of these**

42. If L is a regular language then, Lc is also a _____language.

- **Regular (Page 66) rep**
- Non-regular
- Regular but finite
- None of the given

43. In CFG, the symbols that can‟t be replaced by anything are called__

- **Terminal (Page 87) rep**
- Non-Terminal
- Production
- All of given

44. Which of the following is NOT a regular language?

- String of 0‟s whose length is a perfect squere
- Set of all palindromes made up of 0‟s and 1‟s
- String of 0‟s whose length is a prime number
- **All of the given options**

45. Choose the incorrect (FALSE) statement.

- A Mealy machine generates no language as such
- A Mealy machine has no terminal state
- **For a given input string, length of the output string generated by a Moore machine is not more than the length of the output string generated by that of a Mealy machine**
- All of these

46. Choose the incorrect statement:

- (a+b)*aa(a+b)* generates Regular language.
- **A language consisting of all strings over ∑={a,b} having equal number of a's and b's is a regular language**

- Every language that can be expressed by FA can also be expressed by RE
- None of these

47. Left hand side of a production in CFG consists of:

- One terminal
- More than one terminal
- **One non-terminal (Page 87)**
- Terminals and non-terminals

48. PDA is only used to represent a regular language.

- True
- **False**

49. A production of the form non-terminal □ string of two non-terminal is called a live Production.

- **True (Page 127)**
- False

50. We can find a CFG corresponding to a DFA.

- **True (Page 97)**
- False

51. START, READ, HERE and ACCEPTS are conversions of the machine

- **True (Page 122)**
- False

52. A CFG is said to be ambiguous if there exists at least one word of its language that can be generated by different production trees

- **True (Page 95)**
- False

53. Syntax tree or Generation tree or Derivation tree are same tree

- **True (Page 92)**
- False

54. The symbols that cannot be replaced by anything are called terminals

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- **True (Page 87) repeat**
- False

55. The production of the form non-terminal □ one non-terminal is called unit production

- **True (Page 100)**
- False

56. DFA and PDA are equal in power.

- True
- **False (Page 105)**

57. A production of the form non-terminal □ non-terminal is called a dead Production.

- True
- **False (Page 127)**

58. Semi-word is a string having some terminals and one non-terminal at the right of string.

- **True (Page 97)**
- False

59. Two FAs are equivalent if they have same no. of states.

- **True (Page 15)**
- False

60. There exist exactly two different derivations in an ambiguous CFG for a word.

- **True (Page 93)**
- False

61. Regular languages are closed under Union, Concatenation and Kleene star.

- **True (Page 10)**
- False

62. CFG may also represent a regular language.

- **True (Page 97)**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- False

63. PDA is stronger than FA.

- **True (Page 105)**
- False

64. A Total Language Tree has

- All languages over Σ
- **All strings over Σ (Page 96)**
- All words of all languages over Σ
- All words of one language over Σ

65. What Turing Machine does not have?

- Stack
- Tape
- Head
- **Word**

66. CFG given S bS|Sb|aa represents language b*aa

- aab*
- b*aab*
- **b*(aa)*b***

67. The values of input (say a & b) does not remain same in one cycle due to

- NAND gate
- Click plus
- OR gate
- **NOT gate**

68. Set of all palindromes over {a,b}is regular

- True
- **False (Page 74)**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

69. In CFG, the symbols that cannot be replaced by anything are called

- **Terminals (Page 87) rep**
- Non terminals
- Productions
- None of the given options

70. a^n b^n generates the ..... language

- regular
- non regular
- **EQUAL and non regular (Page 71)**
- EQUAL and regular

71. The grammatical rules which involves meaning of words are called:

- **Semantic (Page 87)**
- Sytactics
- Alphabets
- None of the given options

72. If an FA has N state then it must accept the word of length

- **N-1**
- N+1
- N+2N

73. Two languages are said to belong to same class if they end in the same state when they run over an FA, that state

- Must be final state
- **May be final state or not (Page 75)**
- May be start or not
- None of the given options

74. In pref(Q in R) Q is …… to (than) R

- Equal
- **Not Equal (Page 79)**
- Greater

AL-JUNAID TECH INSTITUTE
0304-6839094
www.vulmshelp.com

- Smaller

75. According to Myhill Nerode theorem, if L generates finite no. of classes then L is.....

- Finite
- Infinite
- **Regular (Page 76)**
- Non Regular

76. If the intersection of two regular languages is regular then the complement of the intersection of these two languages is also regular

- **True (Page 68)**
- False

77. In pumping lemma theorem (x y^n z) the range of n is

- **n=1,2,3,4 ..... (Page 74)**
- n=0,1,2,3,4....
- n=-3,-2,-1,0,1,2,3,4.....
- n=-3,-2,-1,1,2,3,4.....

78. The complement of a regular language is also a regular

- **True repeat**
- False

79. For a non regular language there exist …… FA

- One
- At least one
- At most one
- **No (Page 71)**

80. The strings or words which do not belong to a language is called..... of that language

- Intersection
- Union
- **Complement (Page 66)**
- Quotient

81. A non regular language can be represented by

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- RE
- FA
- TG
- **None of the given options (Page 71)**

82. For language L defined over {a, b},then L partitions {a, b}* into …… classes

- Infinite
- Finite
- **Distinct (Page 75)**
- Non distinct

83. If an FA accept a word then there must exist a path from

- **Initial to final state (Page 81)**
- Initial to each state
- Initial to each state but not to final state
- Initial to final state by traversing each state

84. Which of the following statement is true about NFA with Null String?

- Infinite states
- Infinite set of letters
- Infinite set of transitions
- **Transition of null string is allowed at any stage (Page 71)**

85. FA corresponding to an NFA can be built by introducing an empty state for a letter having

- **no transition at certain state (Page 43)**
- one transition at certain state
- two transition at certain state
- more than two transitions at certain state

86. Let FA3 be an FA corresponding to FA1FA2, then the initial state of FA3 must correspond to the initial state of

- **FA1 only (Page 35)**
- FA2 only

AL-JUNAID TECH INSTITUTE
0304-1639294
www.vulmshelp.com

- FA1 or FA2
- FA1 and FA2

87. (a* + b*)* = (a + b)* this expression is _____

- True
- **False**

88. If S = {ab, bb}, then S* will not contain

- Abbbab
- **Bbba**
- ababbb
- bbbbab

89. What do automata mean?

- Something done manually
- **Something done automatically**
- What is false about the term alphabet?
- It is a finite set of symbols.

90. Consider the following production (of a CFG): S->XYZ Here _____is left most nonterminal in working string. Note: S, X, Y and Z are all nonterminals

- S
- **X**
- Y
- Z

91. A PDA is called nondeterministic PDA if _____

- **There are more than one outgoing edges at READ or POP states with one label (Page 111)**
- There are more than one PUSH states
- There are mroe than one POP states
- All of the given options

92. A PDA consists of the following:

- An alphabet (Sigma) of input letters.
- An input TAPE with infinite many locations in one direction

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- One START state with only one out-edge and no in-edge
- **All of the given options (Page 105)**

93. The CFG S --> aSa | bSb | a | b | ^ represents the language

- EVEN-EVEN
- **PALINDROM (Page 91)**
- EQUAL
- ODD-ODD

94. Halt states are

- Start and Accept
- **Accept and Reject (Page 105)**
- Start and Reject
- Read and Reject

95. Choice of path can be determined by left most derivation of the string belonging to CFL at..... state

- **Accept (Page 104)**
- Reject
- Push
- POP

96. The unit and null productions can be deleted from a CFG

- **True (Page 99-100)**
- False

97. Identify the TRUE statement about following CFG: S -> SB|AB A -> CC B -> b C -> a

- The given CFG has 8 Nonterminals
- The given CFG has 8 Terminals
- **The given CFG is in CNF (Page 101)**
- The given CFG is not in CNF

98. The structure given below is called_____S -> aA|bB A -> aS|a B -> bS|b

- RE
- TG

AL-JUNAID TECH INSTITUTE 0304-1639294 www.aljunaidhelp.com

AL-JUNAID INSTITUTE GROUP

- **CFG (Page 87)**
- PDA

99. Which of the following states is not part of PDA

- START
- ACCEPT
- **WRITE (Page 107)**
- REJECT

100. The production of the form: nonterminal --> one nonterminal is called the _____

- **Unit production (Page 100)**
- NULL production
- Terminal production
- Non Terminal production

101. A_____is the one for which every input string has a unique path through the machine.

- **Deterministic PDA (Page 111)**
- nondeterministic PDA
- PUSHDOWN store
- Input Tape

102. In the null production N --> ^ , N is a

- Terminal
- **Non terminal (Page 99)**
- Word
- None of the given options

103. The major problem in the earliest computers was

- To store the contents in the registers
- **To display mathematical formulae (Page 87)**
- To load the contents from the registers
- To calculate the mathematical formula

104. In polish notation, (o-o-o) is the abbreviation of……?

- Operand - Operator – Operand

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- Operand - Operand- Operator
- **Operator -Operand – Operand (Page 94)**
- Operand -Operand – Operand

105. The CFG is said to be ambiguous if there exist at least one word of its language that can be generated by the..... production trees

- One
- Two
- **More than one (Page 95)**
- At most one

106. The input string is placed, before it runs, in

- Stack
- Memory
- **Tape (Page 105)**
- Ram

107. The production S --> SS | a | b | ^ can be expressed by RE

- (a+b)+
- (a+b)
- **(a+b)* (Page 88)**
- (ab)*

108. The locations into which we put the input letters on "Input Tap" are called _____

- Words
- alphabets
- **cells (Page 105)**
- elements

109. "CFG" stands for _____

- Context Free Graph
- **Context Free Grammer (Page 87)**
- Context Finite Graph
- Context Finite Grammer

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

110. In a CFG the nonterminal that occurs first from the left in the working string, is said to be _____

- Least Significant nonterminal
- Most Significant nonterminal
- **Left most nonterminal (Page 103)**
- Left most derivate

111. The unit production is

- Terminal --> Terminal
- Terminal --> Non Terminal
- Non terminal --> Terminal
- **Non terminal --> Non Terminal (Page 100)**

112. A_____operator adds a new letter at the top of STACK

- **PUSH (Page 107)**
- POP
- READ
- APPEND

113. PDA stands for _____

- Push and Drop Automaton
- Pop and Drop Automaton
- **Push Down Automaton (Page 112)**
- None of given options

114. The production of the form: Nonterminal-> ^ is said to be _____ production

- **NULL (Page 99)**
- UNIT
- Chomsky form production
- None of the given options

115. In a STACK:

- The element PUSHed first is POPed first
- **The element PUSHed first is POPed in the last (Page 107 concept)**
- The element PUSHed in last is POPed in last

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- None of given options

116. For a given input, it provides the compliment of Boolean AND output.

- **NAND box (NOT AND) (Page 63)**
- DELAY box
- OR box
- AND box

117. It delays the transmission of signal along the wire by one step (clock pulse).

- NAND box (NOT AND)
- **DELAY box (Page 63)**
- OR box
- AND box

118. Any language that can not be expressed by a RE is said to be regular language.

- True
- **False**

119. The current in the wire is indicated by 1 and 0 indicates the absence of the current.

- **True (Page 63)**
- False

120. For the given input, AND box provides the Boolean AND output.

- **True (Page 63)**
- False

121. Let L be a language defined over an alphabet Σ, then the language of strings, defined over Σ, not belonging to L, is called Complement of the language L, denoted by Lc or L‟.

- **True (Page 66)**
- False

122. To describe the complement of a language, it is very important to describe the----------of that language over which the language is defined.

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- **Alphabet (Page 66)**
- Regular Expression
- String
- Word

123. For a certain language L, the complement of Lc is the given language L i.e. (Lc)c = Lc

- True
- **False (Page 66)**

124. If L is a regular language then, --------- is also a regular language.

- Lm
- Ls
- Lx
- **Lc (Page 66)**

125. Converting each of the final states of F to non-final states and old non-final states of F to final states, FA thus obtained will reject every string belonging to L and will accept every string, defined over Σ, not belonging to L. is called

- Transition Graph of L
- Regular expression of L
- **Complement of L (Page 66)**
- Finite Automata of L

126. If L1 and L2 are two regular languages, then L1 U L2 is not a regular.

- True
- **False (Page 65)**

127. If L1 and L2 are regular languages, then these can be expressed by the corresponding FAs.

- **True (Page 68)**
- False

128. The language that can be expressed by any regular expression is called a Non regular language.

- True

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- **False (Page 71)**

129. The languages----------are the examples of non regular languages.

- **PALINDROME and PRIME (Page 71)**
- PALINDROME and EVEN-EVEN
- EVEN-EVEN and PRIME
- FACTORIAL and SQURE

130. Let L be any infinite regular language, defined over an alphabet Σ then there exist three strings x, y and z belonging to Σ* such that all the strings of the form xy z n for n=1,2,3, … are the words in L. called.

- Complement of L
- **Pumping Lemma (Page 72)**
- Kleene‟s theorem
- None in given

131. Languages are proved to be regular or non regular using pumping lemma.

- **True (Page 74)**
- False

132. is obviously infinite language.

- EQUAL-EQUAL
- EVEN-EVEN
- **PALINDROME (Page 75)**
- FACTORIAL

133. If, two strings x and y, defined over Σ, are run over an FA accepting the language L, then x and y are said to belong to the same class if they end in the same state, no matter that state is final or not.

- **True (Page 75)**
- False

134. Myhill Nerode theorem is consisting of the followings,

- L partitions Σ* into distinct classes.
- If L is regular then, L generates finite number of classes.
- If L generates finite number of classes then L is regular.

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- **All of above (Page 75)**

135. The language Q is said to be quotient of two regular languages P and R, denoted by--- if PQ=R.

- R=Q/P
- **Q=R/P (Page 78)**
- Q=P/R
- P=R/Q

136. If two languages R and Q are given, then the prefixes of Q in R denoted by Pref(Q in R).

- **True (Page 78)**
- False

137. Let Q = {aa, abaaabb, bbaaaaa, bbbbbbbbbb} and R = {b, bbbb, bbbaaa, bbbaaaaa} Pref (Q in R) is equal to,

- **{b,bbba,bbbaaa} (Page 78)**
- {b,bba,bbaaa}
- {ab,bba,bbbaa}
- {b,bba,bbba}

138. If R is regular language and Q is any language (regular/ non regular), then Pref (Q in R) is ---------.

- Non-regular
- Equal
- **Regular (Page 79)**
- Infinite

139. _____states are called the halt states.

- **ACCEPT and REJECT (Page 105)**
- ACCEPT and READ
- ACCEPT AND START
- ACCEPT AND WRITE

140. The part of an FA, where the input string is placed before it is run, is called _____

- State
- Transition

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- **Input Tape (Page 105)**
- Output Tape

141. In new format of an FA (discussed in lecture 37), This state is like dead-end non final state

- ACCEPT
- **REJECT (Page 105)**
- STATR
- READ

142. Between the two consecutive joints on a path:

- One character can be pushed and one character can be popped
- **Any no. of characters can be pushed and one character can be popped (Page 122)**
- One character can be pushed and any no. of characters can be popped
- Any no. of characters can be pushed and any no. of characters can be popped

143. The PDA is called non-deterministic PDA when there are more than one out going edges from…… state

- START or READ
- POP or REJECT
- **READ or POP (Page 111)**
- PUSH or POP

144. Identify the TRUE statement:

- A PDA is non-deterministic, if there are more than one READ states in PDA
- A PDA is never non-deterministic
- **Like TG, A PDA can also be non-deterministic (Page 111)**
- A PDA is non-deterministic, if there are more than one REJECT states in PDA

145. There is a problem in deciding whether a state of FA should be marked or not when the language Q is infinite.

- **True (Page 79)**
- False

146. If an effectively solvable problem has answered in yes or no, then this solution is called ---------

- **Decision procedure (Page 80)**
- Decision method
- Decision problem
- Decision making

147. The following problem(s) ---------- is/are called decidable problem(s).

- The two regular expressions define the same language
- The two FAs are equivalent
- **Both a and b (Page 80)**
- None of given

148. To examine whether a certain FA accepts any words, it is required to seek the paths from ------- state.

- Final to initial
- Final to final
- **Initial to final (Page 81)**
- Initial to initial

149. The high level language is converted into assembly language codes by a program called compiler.

- **TRUE (Page 87)**
- FALSE

150. Grammatical rules which involve the meaning of words are called _____

- **Semantics (Page 87)**
- Syntactic
- Both a and b
- None of given

151. Grammatical rules which do not involve the meaning of words are called -_____

- Semantics
- **Syntactic (Page 87)**

AL-JUNAID TECH INSTITUTE 0304-1639294 www.vulmshelp.com

- Both a and b
- None of given

152. The symbols that must be replaced by other things are called _____

- Productions
- Terminals
- **Non-terminals (Page 87)**
- None of given

153. The grammatical rules are often called_____

- **Productions (Page 87)**
- Terminals
- Non-terminals
- None of given

154. The terminals are designated by _____letters, while the non-terminals are designated by_____letters.

- Capital, bold
- **Small, capital (Page 87)**
- Capital, small
- Small, bold

155. The language generated by _____is called Context Free Language (CFL).

- FA
- TG
- **CFG (Page 87)**
- TGT

156. S → aXb|bXa X → aX|bX|Λ The given CFG generates the language in English _____

- **Beginning and ending in different letters (Page 91)**
- Beginning and ending in same letter
- Having even-even language
- None of given

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

157. The CFG is not said to be ambiguous if there exists atleast one word of its language that can be generated by the different production trees,

- TRUE
- **FALSE (Page 95)**

158. The language generated by that CFG is regular if _____

- No terminal → semi
- word No terminal → word
- **Both a and b (Page 97)**
- None of given

159. The production of the form no terminal → Λ is said to be null production.

- **TRUE (Page 99)**
- FALSE

160. CNF is stands for

- Context Normal Form
- Complete Normal Form
- **Chomsky Normal Form (Page 102)**
- Compared Null Form

161. Kleene‟s theorem states

- All representations of a regular language are equivalent.
- All representations of a context free language are equivalent.
- All representations of a recursive language are equivalent
- **Finite Automata are less powerful than Pushdown Automata. (Page 105)**

162. Null production is a

- Word
- String
- Terminal
- **All of the given options**

AL-JUNAID TECH INSTITUTE www.vulmshelp.com

163. In nondeterministic PDA a string is supposed to be accepted, if there exists at least one path traced by the string, leading to _____ state.

- **ACCEPT (Page 111)**
- REJECT
- START
- READ

164. The CFG which generates the regular language is called:

- Regular expression
- Finite Automata
- **Regular grammar (Page 97)**
- None of the given options

165. If a CFG has a null production, then it is possible to construct another CFG accepting the same language without null production

- TRUE
- **FALSE (Page 99)**

166. In large FA with thousands of states and millions of directed edges, without an effective procedure it is_____to find a path from initial to final state.

- Always easy
- **Impossible (Page 81)**
- may be good
- always impossible

167. If there is no final state of two FAs then their_____also have no___state

- initial, union
- final, union
- **union,final (Page 83)**
- union, initial

168. Set of all palindromes over {a,b} is:

- Regular
- Regular and finite

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- Regular and infinite
- **Non-regular (Page 71)**

169. In the context of Myhill Nerode theorem, for even-even language sigma star can be partitioned into_____number of classes.

- 3
- **4 (Page 77)**
- 5
- 6

170. The product of two regular languages is_____.

- **Regular (Page 78)**
- Infinite
- non-regular
- closure of a regular language

171. incase of Myhill Nerode theorem, if a language L partitions sigma star into distinct classes and L is also regular then L generates_____number of classes.

- Infinite
- specified
- **finite (Page 75)**
- odd

172. While determining regular expression for a given FA, it is _____to write its regular expression.

- Always possible easily
- **Sometime impossible (Page 80)**
- always impossible
- None of the given options

173. If (L1 ∩ L2c) ∪ (L1c ∩ L2) is regular language that accepts the words which are in L1 but not in L2 or else in L2 but not in L1 . The corresponding FA cannot accept any word which is in_____L1 and L2.

- Not both
- **Both (Page 80)**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

- At least in one
- None of the given options

174. A problem that has decision procedure is called _____ problem.

- Regular language
- un-decidable
- Infinite
- **Decidable (Page 80)**

175. The product of two regular languages is_____.

- **Regular (Page 78)**
- Infinite
- non-regular
- closure of a regular language

176. In new format of an FA (discussed in lecture 37):……state is like a final state of an FA

- START
- ACCEPT (Handouts Page # 119)
- REJECT
- READ

177. In conversion form of PDA there is no ..... state

- PUSH
- ACCEPT
- REJECT (Handouts Page # 119)
- READ

178. Given a PDA that accepts the language L

- There does not exist any CFG that generates exactly L
- that PDA will also accept Language L' (complement of L)
- There exists a CFG that generates exactly L (Handouts Page # 118)
- None of given options

179. In a CFG the non-terminal that occurs first from the left in the working string. is said to be

- Least Significant nonterminal

0304-1659294

- Left most nonterminal (Handouts Page # 103)
- Most Significant nonterminal
- Left most derivate

180. The structure given below is called

S -> aAlbB

A -> aSla

B -> bSIb

- RE
- PDA
- CFG (It is form of CFG)
- TG

181. An FA has N states then it must accept the word of length

- 2N
- N
- N-1
- N-1

182. To examine whether a certain FA accepts any words. it is required to seek the paths ..... state.

- from initial to final (Handouts Page # 81)
- from initial-to-initial back
- from final to initial
- from final to back final

183. In nondeterministic PDA. a string is supposed to be accepted if there exists at least one path traced by the string. leading to state.

- START
- REJECT
- READ
- ACCEPT (Handouts Page # 111)

184. If a CFG has a null production, then it is

- Called Null CFG
- Not possible to construct another CFG without null production accepting the same language with the exception of the word
- Called Chmosky Normal Form (CNF)
- Possible to construct another CFG without null production accepting the same language with the exception of the word

185. There is at least one production in CFG that has one……. on its left side.

- Non terminal (Handouts Page # 87)
- Null production
- Terminal
- Unit production

186. In large FA with thousands of states and millions of directed edges, without an effective procedure it is……to find a path from initial to final state.

- Impossible (Handouts Page # 81)
- Always easy
- always impossible
- may be good

187. By removing null and unit productions _____ _.

- CNF can be converted into FA
- CNF can be converted into CFG
- CFG can be converted into CNF (Handouts Page # 102)
- CNF can be converted into Turing machine

188. A……is the one for which every input string has a unique path through the machine

- deterministic PDA
- Input Tape
- nondeterministic PDA
- PUSHDOWN store

189. PDA stands for

- Push Down Automaton (Handouts Page # 112)

0304-1639294
www.vulmshelp.com

- Pop and Drop Automaton
- Push and Drop Automaton
- Push Deterministic Automaton

190. A PDA is called nondeterministic PDA if

- there are more than one POP states
- there are more than one PUSH states
- there are more than one outgoing edges at READ or POP states with one label
- every READ state is followed by a HERE state.

191. Which of the following cannot be represented by a regular expression?

- String of 0's with an odd length
- Language of even-even
- Language of odd-odd
- String of 0s with a prime length (Because Prime is not regular Langue)

192. In conversion form of PDA. there is……..accept state(s).

- At most one
- At least one
- More than One
- Exactly one (Handouts Page # 119)

193. If there is no final state of two FAs, then their…….also have no .....state

- union, initial
- union. Final (Handouts Page # 83)
- final, union
- initial, union

194. The tree which produces all the strings of a language is called

- Derivation tree
- Total language tree (Handouts Page # 96)
- Non ambiguous tree
- Ambiguous tree

195. In new format of an FA (discussed in lecture 37),..... state is like dead-end non final state.

- READ
- REJECT (Handouts Page # 105)
- START
- ACCEPT

196. To write the expression from the tree, it is required to traverse from

- Top to bottom of the tree
- Right side of the tree
- Left side of the tree (Handouts Page # 94)
- Bottom to top of the tree

197. A PDA consists of the following:

- An alphabet (Sigma) of input letters.
- An input TAPE with infinite many locations in one direction
- One START state with only one out-edge and no in-edge
- All the given options (Handouts Page 105)

198. If R is regular language and Q is any language (regular/ non-regular), then Pref…….in …….. is regular.

- R R
- R.Q
- Q.R (Handouts Page # 79)
- Q.Q

199. ……is an operation that takes out a letter from the top of the STACK.

- WRITE
- APPEND
- PUSH
- POP (Handouts Page # 107)

200. Before the CFG corresponding to the given PDA is determined, the PDA is converted into the standard form which is called.

- Finite Automaton
- Conversion form (Handouts Page # 118)
- None of given options
- Chomsky Normal Form (CNF)

0304-1659294

AL-JUNAID INSTITUTE GROUP

201. The part of an FA, where the input string is placed before it is run, is called

- Transition
- Input Tape (Handouts Page # 105)
- Output Tape
- State

202. A problem is said to be ……if there exists an algorithm that provides the solution in……. number of steps.

- Effectively unsolvable, infinite
- Effectively solvable, infinite
- Effectively unsolvable, finite
- Effectively solvable, finite (Handouts Page # 80)

203. …… states are called the halt states.

- ACCEPT AND START
- ACCEPT and READ
- ACCEPT and REJECT (Handouts Page # 105)
- ACCEPT AND WRITE

204. The grammatical rules which involve meaning of words are called

- Semantics (Handouts Page # 87)
- Syntactics
- strings
- alphabets

205. The PDA is called non-deterministic PDA when there are more than one out going edges from state

- READ or POP (Handouts Page # 111)
- START or READ
- POP or
- PUSH or POP

206. Which of the following states is not part of PDA?

- REJECT
- ACCEPT
- START
- WRITE (All other are parts of PDA)

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

207. The major problem in the earliest computers was

- To calculate the mathematical formula
- To display mathematical formulas (Handouts Page # 87)
- To store the contents in the registers
- To load the contents from the registers

208. The operators like (` +) in the parse tree are considered as

- Terminals (Handouts Page # 93)
- productions
- non-terminals
- intermediates

209. If L1 and L2 are two regular languages, then they……expressed by FAs.

- cannot be
- May be
- may or may not be
- can be (Handouts Page # 68)

210. Before running the input string on PDA it is first placed on

- Stack
- Ram
- Memory
- Tape (Handouts Page # 107)

211. Which is the correct option

- The element PUSHED in last is POPED in last
- The element PUSHED first is POPED in the last (LIFO Method, from Book)
- The element PUSHED first is POPED first
- None of given options

212. Null production is a

- String
- Word (Handouts Page # 97)

- Terminal
- All the above

213. A/an……operator adds a new letter at the top of STACK

- Push (Handouts Page # 107)
- Append
- Read
- Pop

214. In conversion form of PDA, no two…….states exist in a row without state

- POP. READ (Handouts Page # 119)
- POP. REJECT
- PUSH. START
- PUSH READ

215. Given a PDA that accepts the language L

- that PDA will also accept Language L' (complement of Ll
- There exists a CFG that generates exactly L (Handouts Page # 118)
- None of given options
- There does not exist any CFG that generates exactly

216. In large FA with thousands of states and millions of directed edges, without an effective procedure it is ……. to find a path from initial to final state.

- Always easy
- always impossible
- may be good
- Impossible (Handouts Page # 81)

217. The CFG there generates the regular language is called

- Regular expression
- finite automata
- regular grammars (Handouts Page # 97)
- now regular grammars

218. Consider the following CFG: (Note: ^ means NULL)

S-→Xa

X→aX|bX|^

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- Above give a CFG can be represented by RE
- a*b*
- a (a + b) *a
- (a + b) *a
- A*b*a

S production will give us Xa. As the X is nonterminal and we must only change X and the terminal a will be on the last of the R.E.

Now we will change X production.

X production will give us as many a as we want. or if we use the second production which will give us as many b as we want. And last production will give us ^ (lemda)

So the answer would be a*b*a

Last a is the terminal which we got from the very first production.

219. For a machine with N number of states, the total number of strings to be tested, defined over an alphabet of m letters is

- mN +mN+1 + mN+2 +… +m2N-1 (Handouts Page # 86)
- mN
- Nm
- Nm +mN+1 + mN+2 +… +

220. Consider the CFG given below.

A→B|b

B→a

Which of the following is a unit production?

- S→bb
- A→b
- A→B
- B→a

221. The CFG is said to be ambiguous if there exist at least one word of its language that can be generated by the.....production trees

0304-1659294 www.vulmshelp.com

- One
- Two
- More than one (Handouts Page # 95)
- At most one

222. If Q = {xx, xyxxxy} and R = { xyxyxyxxyy, xyxyyyxx} then Pref {Q in R} = _____

- Xx
- Xyxyxy
- Xyxyyy (Solved by my self 100% sure)
- Xxy

223. The unit production is

- Terminal --> Terminal
- Terminal --> Non Terminal
- Non terminal --> Terminal
- Non terminal --> Non-Terminal (Hand out Page # 100)

224. Which of the following statement is FALSE?

- For every PDA, there always exists a regular expression (Not sure)
- Every CFG cannot be expressed as Regular Expression
- Every Regular Expression be expressed by a CFG.
- For a PDA, there exists a CFG that represent the same language

225. The CFG S → aSb|ab|^

- Palindrome
- Prime
- Equal
- Even

The production will give us ab and non-terminal S inside the a and b. If we change the S into next production of ab, we will get abab but instead of using 2nd production, if we use the last which will give us only ^ (Lemda), thus we will get ^ab.

So, we will get Equal language (same number of a and same number of b)

ALJUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

226. Before the PDA is converted into conversion form, a new state ---------- is defined which is placed in the middle of any edge.

- HERE (Hand out Page # 118)
- STOP
- START
- REJECT

227. A PDA is in conversion form if it fulfills the following conditions:

- There is only one ACCEPT state. (Hand out Page # 119)
- There are one REJECT state.
- There are more than one ACCEPT states.
- There is only one Accept state.

228. Identify the false statement about the following CFG

S→SB|AB

A→CC

B→

C→a

- CFG has 8 Non terminals
- all the given option (All are false as There are 4 terminals , It is in CNF and it does not generate any null string)
- CFG is not in CNF
- CFG generate null string

229. This CFG there generates to the regular language is called

- Regular grammar (Hand out Page # 97)
- nonregular grammar
- finite automata
- regular expression

230. The derivation of the word W generated by CFG such that at each step a production is applied to the leftmost nonterminal in the working string is said to be

- Left most terminal

0304-1639294 www.vulmshelp.com

- right most terminal
- left most derivation (Hand out Page # 103)
- right most derivation

231. If the FA has N states, then test these words of length less than N. If no word is accepted by this FA, then it will word/words

- Accept no (Hand out Page # 85)
- Accept some
- Reject No
- Accept All

232. In a CFG then non terminals are denoted by

- small letters
- numbers
- capital letters (Hand out Page # 87)
- small letters and numbers

233. "CFG"stands for_____

- Context finite graph
- contacts finite grammar
- contact free graph
- Context free grammar (Hand out Page # 87)

234. Consider the following production (of a CFG) S→XYZ
Here _____is left most non terminals in working string
note XY and Z are all known terminals

- X (X is on the most left side)
- S
- Z
- Y

235. Consider the following CFG
S→ a|Xb|aYa
X→ Y|^ (Note: ^ means NULL)
Y→ b|X
which nonterminal is/are not nullable

0304-1659294 www.vulmshelp.com

- Y
- S, X and Y
- S
- X (X is Null Production and not a null able)

236. In new format of an FA (discussed in lecture 37):……state is like a final state of an FA

- START
- ACCEPT (Handouts Page # 119)
- REJECT
- READ

237. In conversion form of PDA there is no ..... state

- PUSH
- ACCEPT
- REJECT (Handouts Page # 119)
- READ

238. Given a PDA that accepts the language L

- There does not exist any CFG that generates exactly L
- that PDA will also accept Language L' (complement of L)
- There exists a CFG that generates exactly L (Handouts Page # 118)
- None of given options

239. In a CFG the non-terminal that occurs first from the left in the working string. is said to be

- Least Significant nonterminal
- Left most nonterminal (Handouts Page # 103)
- Most Significant nonterminal
- Left most derivate

240. The structure given below is called

S -> aAlbB

A -> aSla

B -> bSIb

- RE
- PDA
- CFG (It is form of CFG)
- TG

241. An FA has N states then it must accept the word of length

- 2N
- N
- N-1
- N-1

242. To examine whether a certain FA accepts any words. it is required to seek the paths ..... state.

- from initial to final (Handouts Page # 81)
- from initial-to-initial back
- from final to initial
- from final to back final

243. In nondeterministic PDA. a string is supposed to be accepted if there exists at least one path traced by the string. leading to.....state.

- START
- REJECT
- READ
- ACCEPT (Handouts Page # 111)

244. If a CFG has a null production, then it is

- Called Null CFG
- Not possible to construct another CFG without null production accepting the same language with the exception of the word
- Called Chmosky Normal Form (CNF)
- Possible to construct another CFG without null production accepting the same language with the exception of the word

245. There is at least one production in CFG that has one……. on its left side.

- Non terminal (Handouts Page # 87)
- Null production

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulms.vu.edu.pk

- Terminal
- Unit production

246. In large FA with thousands of states and millions of directed edges, without an effective procedure it is……to find a path from initial to final state.

- Impossible (Handouts Page # 81)
- Always easy
- always impossible
- may be good

247. By removing null and unit productions _____ _.

- CNF can be converted into FA
- CNF can be converted into CFG
- CFG can be converted into CNF (Handouts Page # 102)
- CNF can be converted into Turing machine

248. A……is the one for which every input string has a unique path through the machine

- deterministic PDA
- Input Tape
- nondeterministic PDA
- PUSHDOWN store

249. PDA stands for

- Push Down Automaton (Handouts Page # 112)
- Pop and Drop Automaton
- Push and Drop Automaton
- Push Deterministic Automaton

250. A PDA is called nondeterministic PDA if

- there are more than one POP states
- there are more than one PUSH states
- there are more than one outgoing edges at READ or POP states with one label
- every READ state is followed by a HERE state.

251. Which of the following cannot be represented by a regular expression?

- String of 0's with an odd length
- Language of even-even
- Language of odd-odd
- String of 0s with a prime length (Because Prime is not regular Langue)

252. In conversion form of PDA. there is……..accept state(s).

- At most one
- At least one
- More than One
- Exactly one (Handouts Page # 119)

253. If there is no final state of two FAs, then their…….also have no .....state

- union, initial
- union. Final (Handouts Page # 83)
- final, union
- initial, union

254. The tree which produces all the strings of a language is called

- Derivation tree
- Total language tree (Handouts Page # 96)
- Non ambiguous tree
- Ambiguous tree

255. In new format of an FA (discussed in lecture 37),..... state is like dead-end non final state.

- READ
- REJECT (Handouts Page # 105)
- START
- ACCEPT

256. To write the expression from the tree, it is required to traverse from

- Top to bottom of the tree
- Right side of the tree
- Left side of the tree (Handouts Page # 94)
- Bottom to top of the tree

257. A PDA consists of the following:

- An alphabet (Sigma) of input letters.
- An input TAPE with infinite many locations in one direction
- One START state with only one out-edge and no in-edge
- All the given options (Handouts Page 105)

258. If R is regular language and Q is any language (regular/ non-regular), then Pref…….in …….. is regular.

- R R
- R.Q
- Q.R (Handouts Page # 79)
- Q.Q

259. ……is an operation that takes out a letter from the top of the STACK.

- WRITE
- APPEND
- PUSH
- POP (Handouts Page # 107)

260. Before the CFG corresponding to the given PDA is determined, the PDA is converted into the standard form which is called.

- Finite Automaton
- Conversion form (Handouts Page # 118)
- None of given options
- Chomsky Normal Form (CNF)

261. The part of an FA, where the input string is placed before it is run, is called

- Transition
- Input Tape (Handouts Page # 105)
- Output Tape
- State

262. A problem is said to be ……if there exists an algorithm that provides the solution in……. number of steps.

- Effectively unsolvable, infinite
- Effectively solvable, infinite
- Effectively unsolvable, finite
- Effectively solvable, finite (Handouts Page # 80)

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

263. ……. states are called the halt states.

- ACCEPT AND START
- ACCEPT and READ
- ACCEPT and REJECT (Handouts Page # 105)
- ACCEPT AND WRITE

264. The grammatical rules which involve meaning of words are called

- Semantics (Handouts Page # 87)
- Syntactics
- strings
- alphabets

265. The PDA is called non-deterministic PDA when there are more than one out going edges from state

- READ or POP (Handouts Page # 111)
- START or READ
- POP or
- PUSH or POP

266. Which of the following states is not part of PDA?

- REJECT
- ACCEPT
- START
- WRITE (All other are parts of PDA)

267. The major problem in the earliest computers was

- To calculate the mathematical formula
- To display mathematical formulas (Handouts Page # 87)
- To store the contents in the registers
- To load the contents from the registers

268. The operators like (` +) in the parse tree are considered as

- Terminals (Handouts Page # 93)
- productions
- non-terminals

www.vulmshelp.com

- intermediates

269. If L1 and L2 are two regular languages, then they……expressed by FAs.

- cannot be
- May be
- may or may not be
- can be (Handouts Page # 68)

270. Before running the input string on PDA it is first placed on

- Stack
- Ram
- Memory
- Tape (Handouts Page # 107)

271. Which is the correct option

- The element PUSHED in last is POPED in last
- The element PUSHED first is POPED in the last (LIFO Method, from Book)
- The element PUSHED first is POPED first
- None of given options

272. Null production is a

- String
- Word (Handouts Page # 97)
- Terminal
- All the above

273. A/an……operator adds a new letter at the top of STACK

- Push (Handouts Page # 107)
- Append
- Read
- Pop

274. In conversion form of PDA, no two……states exist in a row without state

- POP. READ (Handouts Page # 119)
- POP. REJECT
- PUSH. START
- PUSH READ

www.vulmshelp.com

275. Given a PDA that accepts the language L

- that PDA will also accept Language L' (complement of Ll
- There exists a CFG that generates exactly L (Handouts Page # 118)
- None of given options
- There does not exist any CFG that generates exactly

276. In large FA with thousands of states and millions of directed edges, without an effective procedure it is .....to find a path from initial to final state.

- Always easy
- always impossible
- may be good
- Impossible (Handouts Page # 81)

277. The CFG there generates the regular language is called

- Regular expression
- finite automata
- regular grammars (Handouts Page # 97)
- now regular grammars

278. Consider the following CFG: (Note: ^ means NULL)

S-→Xa

X→aX|bX|^

- Above give a CFG can be represented by RE
- a*b*
- a (a + b) *a
- (a + b) *a
- A*b*a

279. For a machine with N number of states, the total number of strings to be tested, defined over an alphabet of m letters is

- mN +mN+1 + mN+2 +… +m2N-1 (Handouts Page # 86)
- mN
- Nm
- Nm +mN+1 + mN+2 +… +

280. Consider the CFG given below.

0304-1659294

A→B|b

B→a

Which of the following is a unit production?

- S→bb
- A→b
- A→B
- B→a

281. The CFG is said to be ambiguous if there exist at least one word of its language that can be generated by the ……. production trees

- One
- Two
- More than one (Handouts Page # 95)
- At most one

282. If Q = {xx, xyxxxy} and R = { xyxyxyxxyy, xyxyyyxx} then Pref {Q in R} = _____

- Xx
- Xyxyxy
- Xyxyyy (Solved by my self 100% sure)
- Xxy

283. The unit production is

- Terminal --> Terminal
- Terminal --> Non Terminal
- Non terminal --> Terminal
- Non terminal --> Non-Terminal (Hand out Page # 100)

284. Which of the following statement is FALSE?

- For every PDA, there always exists a regular expression (Not sure)
- Every CFG cannot be expressed as Regular Expression
- Every Regular Expression be expressed by a CFG.
- For a PDA, there exists a CFG that represent the same language

285. The CFG S → aSb|ab|^

- Palindrome

- Prime
- Equal
- Even

286. Before the PDA is converted into conversion form, a new state ---------- is defined which is placed in the middle of any edge.

- HERE (Hand out Page # 118)
- STOP
- START
- REJECT

287. A PDA is in conversion form if it fulfills the following conditions:

- There is only one ACCEPT state. (Hand out Page # 119)
- There are one REJECT state.
- There are more than one ACCEPT states.
- There is only one Accept state.

288. Identify the false statement about the following CFG

S→SB|AB

A→CC

B→

C→a

- CFG has 8 Non terminals
- all the given option (All are false as There are 4 terminals , It is in CNF and it does not generate any null string)
- CFG is not in CNF
- CFG generate null string

289. This CFG there generates to the regular language is called

- Regular grammar (Hand out Page # 97)
- nonregular grammar
- finite automata
- regular expression

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

290. The derivation of the word W generated by CFG such that at each step a production is applied to the leftmost nonterminal in the working string is said to be

- Left most terminal
- right most terminal
- left most derivation (Hand out Page # 103)
- right most derivation

291. If the FA has N states, then test these words of length less than N. If no word is accepted by this FA, then it will word/words

- Accept no (Hand out Page # 85)
- Accept some
- Reject No
- Accept All

292. In a CFG then non terminals are denoted by

- small letters
- numbers
- capital letters (Hand out Page # 87)
- small letters and numbers

293. "CFG"stands for_____

- Context finite graph
- contacts finite grammar
- contact free graph
- Context free grammar (Hand out Page # 87)

294. Consider the following production (of a CFG) S→XYZ Here _____is left most non terminals in working string note XY and Z are all known terminals

- X (X is on the most left side)
- S
- Z
- Y

295. Consider the following CFG

AL-JUNAID INSTITUTE GROUP

S→ a|Xb|aYa

X→ Y|^ (Note: ^ means NULL)

Y→ b|X

which nonterminal is/are not nullable

- Y
- S, X and Y
- S
- X (X is Null Production and not a nullable

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com