CS-506 Web Design & Develop
Update MCQS For FinalTerm
Solve By Vu Topper RM

85 To 100% Marks

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

PROFESSIONAL ONLINE ACADEMY


We Offers

- LMS Handling
- Important Notes
- Online Classes
- Assignments
- Quiz & GDB's
- Projects

NOTHING Is IMPOSSIBLE

Join Us Now

For More Info
Contact us at:
Rizwan Manzoor
0322-4021365



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:01 **(Marks:01)** **Vu-Topper RM**

http response code 403 indicates that----------

A. access to the requested resource was successful
B. resource has been destroyed
C. access to the requested resource has been denied Page 231
D. resource can be accessed after one hour

Question No:02 **(Marks:01)** **Vu-Topper RM**

When a thread is in "new state" during its lifecycle, it is----------

A. In ready queue
B. Just created Page 226
C. Being assigned a processor to run
D. Ready to run

Question No:03 **(Marks:01)** **Vu-Topper RM**

In the context of http response code, the values in the 200s signify that-------

A. Request was successful Page 231
B. Request was not successful
C. Error by server
D. Error by client

Question No:04 **(Marks:01)** **Vu-Topper RM**

Which of the following is not the stage of servlet lifecycle?

A. Wait Page 267
B. Service
C. Destroy
D. Initialize

Question No:05 **(Marks:01)** **Vu-Topper RM**

Request and response of servlet are handles at____stage

A. Destroy
B. Initialize
C. Failure Page 258
D. Service

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:06 **(Marks:01)** **Vu-Topper RM**

At servlet service stage ,webserver invokes----method.

A. Servletservices()
B. Services() Page 259
C. servicesSvlt()
D. svltServices()

Question No:07 **(Marks:01)** **Vu-Topper RM**

Http response code 401 indicates that

A. Request resource is available
B. Request requires http authentication Page 231
C. Error by server
D. Request resource is not available

Question No:08 **(Marks:01)** **Vu-Topper RM**

"ready state" means a thread is in----------

A. New state Page 226
B. Waiting state
C. Ready state
D. Dead state

Question No:09 **(Marks:01)** **Vu-Topper RM**

Choose correct line of code to inherit a worker class from thread class in java

A. Public class worker new thread()
B. Public class worker inherit thread()
C. Public class worker implement thread()
D. Public class worker extends thread() Page 214

Question No:10 **(Marks:01)** **Vu-Topper RM**

In get http request type, attribute-value pair is attached after-----with requested url

A. #
B. @
C. ? Page 253
D. .

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:11 **(Marks:01)** **Vu-Topper RM**

In web.xml, root tag represents web application

A. Webapp
B. <web-app> Page 255
C. <webapp>
D. <web.app>

Question No:12 **(Marks:01)** **Vu-Topper RM**

Which of the following method allows any other thread of same priority toexecute?

A. Yield() Page 224
B. Sleep()
C. Wait()
D. Notify()

Question No:13 **(Marks:01)** **Vu-Topper RM**

In-----state, thread is assigned a processor to run

A. Ready
B. New
C. Running Page 226
D. Dead

Question No:14 **(Marks:01)** **Vu-Topper RM**

Which of the following interface needs to implement while creating threads?

A. Windowslistener
B. Runnable Page 212
C. Actionlistener
D. Serializable

Question No:15 **(Marks:01)** **Vu-Topper RM**

Which of the following range of response code signify error by server

A. 300-399
B. 400-499
C. 200-299
D. 500-599 Page 232

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:16 **(Marks:01)** **Vu-Topper RM**

To compile a servlet(e.gmyservlet.java)------ command is used in command prompt

A. Java-c
B. Java
C. Java.c
D. Javac Page 256

Question No:17 **(Marks:01)** **Vu-Topper RM**

The method is used when one thread wants to wait for another thread's run method to compile its execution

A. Yield()
B. Sleep()
C. Join() Page 227
D. Wait()

Question No:18 **(Marks:01)** **Vu-Topper RM**

In the context of servlet mapping in web.xml, url is provided in-----tag.

A. <url-source>
B. <url-destination>
C. <url-address>
D. <url-pattern> Page 255

Question No:19 **(Marks:01)** **Vu-Topper RM**

Entire JSP page gets translated into a servlet_.

A. Once Page 323
B. Every time when it is accessed
C. Every time when the page is refreshed
D. Every time when the browser is restarted

Question No:20 **(Marks:01)** **Vu-Topper RM**

A bean class___have a zero argument constructor.

A. Can
B. Can't
C. Must Page 356
D. Shouldn't

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:21 **(Marks:01)** **Vu-Topper RM**

Layers represent the _view of application.

A. Physical
B. Logical **Page 435**
C. External
D. None of these

Question No:22 **(Marks:01)** **Vu-Topper RM**

The dot operator in Expression Language is typically used for accessing the of an object.

A. Properties Page 458
B. Elements
C. Values
D. Attributes

Question No:23 **(Marks:01)** **Vu-Topper RM**

Initialization parameters of a servlet are defined in file.

A. html
B. JSP
C. web.xml **Page 275**
D. servlet

Question No:24 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT appropriate for Page-centric approach?

A. The maintenance of the application becomes a nightmare.
B. A lot of code is also get duplicated.
C. Scaling of such kind of application is easy. **Page 397**
D. The code becomes a mixture of presentation, business and data accesslogic.

Question No:25 **(Marks:01)** **Vu-Topper RM**

Which of the following 'statement' object is used for executingprecompiled SQL statements?

A. Statement
B. PreparedStatement **Page 147**
C. CallableStatement
D. None of the given options

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:26 **(Marks:01)** **Vu-Topper RM**

UDDI stands for

A. Universal Description, Discovery & Integration (UDDI) **Page490**

B. Universal Data, Discovery & Integration (UDDI)

C. Universal Data, Database & Integration (UDDI)

D. None of the given options

Question No:27 **(Marks:01)** **Vu-Topper RM**

DataBaseMetaData object can be derived from___object.

A. ResultSet

B. Connection **Page 165**

C. Statement

D. ResultSetMetaData

Question No:28 **(Marks:01)** **Vu-Topper RM**

DSN stands for_.

A. Domain System Name

B. Data Source Name **Page 166**

C. Database Name

D. System name

Question No:29 **(Marks:01)** **Vu-Topper RM**

There is/are ____form(s) of response redirection.

A. 1

B. 2 **Page 270**

C. 3

D. 4

Question No:30 **(Marks:01)** **Vu-Topper RM**

Expression is a code fragment which returns_.

A. Integer

B. String **Page 326**

C. Depends on the expression

D. Nothing

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:31 **(Marks:01)** **Vu-Topper RM**

The **sleep(int time)** method causes the currently executing thread to wait forthe time specified in ----------

A. Milliseconds Page 221
B. Nenoseconds
C. Seconds
D. Minutes

Question No:32 **(Marks:01)** **Vu-Topper RM**

CREATE TABLE, DROP TABLE, and ALTER TABLE etc are --.

A. DML statements
B. DDL statements Page 144
C. DCL statements
D. None of given options

Question No:33 **(Marks:01)** **Vu-Topper RM**

Choose correct line of code to start a thread 't' in Java.

A. t.start() Page 213
B. t-start()
C. t=start()
D. t->start()

Question No:34 **(Marks:01)** **Vu-Topper RM**

At servlet service stage, webserver invokes__method.

A. servletServices()
B. services() Page 270
C. serviceSvlt()
D. svltServices()

Question No:35 **(Marks:01)** **Vu-Topper RM**

Request and response of servlet are handled at____stage.

A. destroy
B. initialize
C. failure
D. service Page267

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:36 **(Marks:01)** **Vu-Topper RM**

Which of the following problem occurs with lower priority threads?

A. Process death

B. Starvation Page 218

C. Race condition

D. Average waiting time

Question No:37 **(Marks:01)** **Vu-Topper RM**

Thread sleep() method causes the currently executing thread to wait for thetime in _ _____.

A. Nanoseconds

B. Milliseconds Page 223

C. Microseconds

D. Zeptoseconds

Question No:38 **(Marks:01)** **Vu-Topper RM**

In the context of Java Thread. Sleep()method throws___exception.

A. Index Out of bound

B. Interrupted Page 223

C. File not found

D. Input Output

Question No:39 **(Marks:01)** **Vu-Topper RM**

Inside <servlet-mapping> tag. first write ___of the servlet using___tag in web.xml.

A. url, <servlet-url>

B. name, <servlet-name> Page 265

C. url, <url-pattern>

D. class, <servlet-class>

Question No:40 **(Marks:01)** **Vu-Topper RM**

Which of the following method needs to override while handling threads injava?

A. start()

B. runnable()

C. **run() Page 212**

D. init()

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:41 **(Marks:01)** **Vu-Topper RM**

Which of the following variable value will not be set during theinstallation and configuration of Apache Tomcat Server?

A. CLASSPATH
B. CATALINA_HOME
C. JDK_HOME Page 247
D. JAVA_HOME

Question No:42 **(Marks:01)** **Vu-Topper RM**

HTTP response code 100s indicates___.

A. to continue without request
B. do not continue with any request
C. to continue with complete request
D. to continue with partial request Page 234

Question No:43 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT web technology of Java?

A. ASP Page 244
B. JSF
C. JSP
D. Servlet

Question No:44 **(Marks:01)** **Vu-Topper RM**

Choose the correct statement by which thread 't' causes currently executingthread to block until thread 't' finishes its run() method:

A. t.sleep()
B. t.start()
C. t.join() Page 229
D. t.wait()

Question No:45 **(Marks:01)** **Vu-Topper RM**

If "MyServelet"is placed in "myapp" folder, then you can access"MyServlet" by writing___:

A. http://localhost8080/myapp/MyServlet
B. http://localhost8080/myapp/servelets/MyServlet
C. http://localhost8080/webapps/myapp/servlets/MyServlet
D. http://localhost8080/webapps/myapp/MyServlet Page 265

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:46 **(Marks:01)** **Vu-Topper RM**

In web.xml , root to__represents web application:

A. webapp

B. <web-app> Page 264

C. <web app>

D. <web.app>

Question No:47 **(Marks:01)** **Vu-Topper RM**

HTTP response code 404 indicates that _____:

A. requested resource is not available Page 235

B. request requires HTTP authentication

C. requested resource is available

D. error by server

Question No:48 **(Marks:01)** **Vu-Topper RM**

In the the values in the 200s signify that_____:

A. request was successful Page 234

B. request was not successful

C. error by server

D. error by client

Question No:49 **(Marks:01)** **Vu-Topper RM**

Servlet mapping is defined in ___:

A. JSP

B. html

C. servlet

D. web.xml Page 265

Question No:50 **(Marks:01)** **Vu-Topper RM**

Which of the following is not a servlet related package?

A. javax.servlet.Servlet

B. javax.servlet

C. javax.servlet.http

D. javax.servlet.Svit Page 260

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:51 **(Marks:01)** **Vu-Topper RM**

The newly created thread can be moved to "Ready State" by calling _____method:

A. sleep()
B. start() **Page 228**
C. wait()
D. yield()

Question No:52 **(Marks:01)** **Vu-Topper RM**

Which of the following method is called only once during life cycle ofServlet?

A. init() **Page 184**
B. service()
C. destroy()
D. start()

Question No:53 **(Marks:01)** **Vu-Topper RM**

At servlet initialization stage, webserver invokes_method.

A. ServletInit()
B. init() **Page 267**
C. initServelt()
D. initialize()

Question No:54 **(Marks:01)** **Vu-Topper RM**

A servlet _during its initialize stage.

A. unloads resource/s
B. accept request/s
C. Loads resources/s **Page 2**
D. forwards request/s

Question No:55 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT a part of HTTP request?

A. Header fields
B. URI
C. Request method
D. Status code **Page 232**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:56 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT true about HTTP?

A. HTTP is a request response communication model
B. HTTP has no built-in state management between successive requests
C. HTTP maintains user session between successive requests Page 231
D. HTTP is a stateless protocol

Question No:57 **(Marks:01)** **Vu-Topper RM**

If attribute is "name" and value is "ahmad" then the GET request willbe_.

A. http://www.gmail.com/register?name=ahmad Page 262
B. http://www.gmail.com/register#name=ahmad
C. http://www.gmail.com/register&name=ahmad
D. http://www.gmail.com/register?name.ahmad

Question No:58 **(Marks:01)** **Vu-Topper RM**

Which of the following approach can use to create thread in java?

A. Abstraction
B. Inheritance Page 212
C. Composition
D. Polymorphism

Question No:59 **(Marks:01)** **Vu-Topper RM**

To compile a servlet ()e.g. MyServlet.java)_command isused in command prompt.

A. java-c
B. java c
C. java
D. javac Page 251

Question No:60 **(Marks:01)** **Vu-Topper RM**

JAVA_HOME indicates theof JDK.

A. Bin folder
B. Webapps folder
C. Web page
D. Root directory Page 248

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:61 **(Marks:01)** **Vu-Topper RM**

Servlets are java's technology answer to____programming.

A. CGI Page 245

B. Perl

C. C++

D. C

Question No:62 **(Marks:01)** **Vu-Topper RM**

In the context of HTTP Response Code, the values in the 400s signify that____:

A. Error by client Page 235

B. Resource is available

C. Resource is not available

D. Error by server

Question No:63 **(Marks:01)** **Vu-Topper RM**

CGI(Common Gateway Interface) was widely used forgenerating_.

A. Dynamic web content Page 245

B. Mobile application

C. Desktop application

D. Static web content

Question No:64 **(Marks:01)** **Vu-Topper RM**

The webapps folder is the__Tomcat directory that contains allthe web applications deployed on the server.

A. Least-level

B. Top-level Page 258

C. Mid-level

D. Bottom-level

Question No:65 **(Marks:01)** **Vu-Topper RM**

_____is NOT the type of HTTP request.

A. Delete

B. Update Page 262

C. Post

D. Get

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:66 **(Marks:01)** **Vu-Topper RM**

Which of the following range of response codes indicates that the request was successfull?

A. 300-399
B. 100-199
C. 400-499
D. 200-299 Page 234

Question No:67 **(Marks:01)** **Vu-Topper RM**

Real world business objects are represented in____.

A. Data layer Page 243
B. Presentation
C. Business layer
D. Application layer

Question No:68 **(Marks:01)** **Vu-Topper RM**

Choose correct integer value for predefined Thread Priority "Thread.MAX_PRIORITY" in java.

A. 1
B. 5
C. 10 Page 216
D. 7

Question No:69 **(Marks:01)** **Vu-Topper RM**

Which of the following architecture introduces a controller?

A. MVC Model 3
B. MVC Model 2 Page 404
C. MVC Model 1
D. MVC Model 4

Question No:70 **(Marks:01)** **Vu-Topper RM**

Which of the following Java/J2EE technology can be used for clientpresentation layer?

A. Applets Page 430
B. JavaBean
C. Java Server Faces(JSF)
D. Java Server Pages(JSP)

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:71 **(Marks:01)** **Vu-Topper RM**

Which of the following is true about simple tag in JSP?

A. All of the given options Page 377

B. It has no body is specified in tag

C. It has start and end of tag

D. It has no attribute

Question No:72 **(Marks:01)** **Vu-Topper RM**

Which of the following is true about tag with attributes in JSP?

A. All of the given options Page 377

B. It has attribute within tag

C. It has no body enclosed

D. It has start and end of tag

Question No:73 **(Marks:01)** **Vu-Topper RM**

The correct way to declare a page as an error page in JSP is:

A. <%@page … SetErrorPage = "true"%>

B. <%@page … errorPage = "true"%>

C. <%@page … isErrorPage = "true"%> Page 389

D. <%@page … getErrorPage = "true"%>

Question No:74 **(Marks:01)** **Vu-Topper RM**

The correct way to define a JSP include action element is:

A. **<jsp:include page = "one.jsp"/> Page 373**

B. <jsp:include page @ "one.jsp"/>

C. <jsp:include page # "one.jsp"/>

D. <jsp:include page $ "one.jsp"/>

Question No:75 **(Marks:01)** **Vu-Topper RM**

A java class that follows certain design conventions is called _____

A. ServletBean

B. SwingBean

C. JavaBean Page 353

D. JSPBean

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:76 **(Marks:01)** **Vu-Topper RM**

Which of the given options is NOT true for Page-centric approach?

A. The code becomes a mixture of presentation, business and dataaccess logic
B. A lot of code is also get duplicated
C. Scaling of such kind of application is easy Page 404
D. The maintenance of the application becomes a nightmare

Question No:77 **(Marks:01)** **Vu-Topper RM**

Which of the following choices is the best choice as acontroller in MVC ModelArchitecture?

A. JavaScript
B. Java
C. Servlet Page 421
D. JSP

Question No:78 **(Marks:01)** **Vu-Topper RM**

Which of the following tag/s can be constructed in JSP?

A. Tag with Attributes
B. Simple Tag
C. All of the given options Page 376
D. Tag with Body

Question No:79 **(Marks:01)** **Vu-Topper RM**

Which of the following is not true regarding layers?

A. Easier reuse of code
B. Easier maintenance
C. Provide high coupling Page 427
D. Provide high cohesion

Question No:80 **(Marks:01)** **Vu-Topper RM**

From the following methods, which method cannot be overridden in the JSP page

A. _jspService()
B. jspDestroy()
C. jspInit()
D. None of these

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:81 **(Marks:01)** **Vu-Topper RM**

Resources could be shared among all servlets in _____ application/s using ___ .

A.same, Servlet object
B.different, Servlet object
C.Same, ServletContext object
D.different, ServletContext object

Question No:82 **(Marks:01)** **Vu-Topper RM**

The _____ method is used, when one thread wants to wait for another thread's run method to complete its execution.

A. Join() **Page 227**
B.Wait()
C.Sleep()
D.Yield()

Question No:83 **(Marks:01)** **Vu-Topper RM**

Choose correct line of code to start a thread 't' in Java.

A.T-start()
B.t=start()
C.t->start()
D.t.start() **Page 213**

Question No:84 **(Marks:01)** **Vu-Topper RM**

addCookie() method of HTTPServletResponse takes _____ as a parameter and adds it to the cookie header.

A.cookie object
B. init
C. start
D. end

Question No:85 **(Marks:01)** **Vu-Topper RM**

Which of the following statement is correct to assign maximum priority to thread "t2"?

A. t2.setPriority(Thread.PRIORITY_MiX)
B. t2.setPriority(Thread.PRIORITY_MAX)
C.t2.setPriority(Thread.MAX_PRIORITY)
D.t2.setPriority(Thread.MIN_PRIORITY)

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:86 **(Marks:01)** **Vu-Topper RM**

Servlet context stores initialization parameters of _____ .

A. one servlet
B. a java file
C.of entire web application
D.of all web applications in a server

Question No:87 **(Marks:01)** **Vu-Topper RM**

Which of the following object is used for sharing resources among different servlets of same application?

A. ServletConfig
B.ServletRequest
C.ServletResponse
D.Servlet Context

Question No:88 **(Marks:01)** **Vu-Topper RM**

Which of the following is not an HttpServletRequest method?

A.setAttribute(String, Object)
B. setProtocol() **Page 294**
C.getMethod()
D.getProtocol()

Question No:89 **(Marks:01)** **Vu-Topper RM**

Thread sleep () method causes the currently executing thread to wait for the time in _____.

A.Nanoseconds
B.Microseconds
C. Milliseconds **Page 223**
D.Zeptoseconds

Question No:90 **(Marks:01)** **Vu-Topper RM**

Server spawns a new thread for each new request from the client by calling servlet's _____ method.

A.init()
B.yield()
C.spwan()
D.service()

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:91 **(Marks:01)** **Vu-Topper RM**

During different sessions, getServletContext() method provides _____ ServletContext object/s to _____ Servlets.

A. Different,Same
B. Same, Same
C. Same, Different
D. Different, Different

Question No:92 **(Marks:01)** **Vu-Topper RM**

Which of the following is the main idea behind partitioning a web application into layers?

A. Increase Decoupling
B. Reduce Coupling.
C. Increase Coupling
D. Reduce Decoupling

Question No:93 **(Marks:01)** **Vu-Topper RM**

Which of the following tag is used to define initialization parameters value of a servlet?

A. <param-value></param-value>
B. <para-value></para-value>
C. <initparam-value></initparam-value>
D. <parameter-value></parameter-value>

Question No:94 **(Marks:01)** **Vu-Topper RM**

In the context of Session Tracking, states are maintained by the mutual cooperation of both client & _____.

A. Server **Page 297**
B. User
C. Browser
D. Customer

Question No:95 **(Marks:01)** **Vu-Topper RM**

Unpack directory structure of J2EE web application is _____

A. Known as Web Archive file (WAR)
B. Used during development of web application
C. Used to deploy web application

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. None of the given options

Question No:96 **(Marks:01)** **Vu-Topper RM**

The getSession() method of _____ returns HttpSession object.

A. HttpServletResponse
B. HttpServletRequest
C. ServletConfig
D. ServletContext

Question No:97 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT a standard method called as a part of the JSP life cycle?

A. jspInit()
B. jspService()
C. jspService()
D. jspDestroy()

Question No:98 **(Marks:01)** **Vu-Topper RM**

AWT is also called _____.

A. Light Weight Component
B. Medium Weight Component
C. Heavy Weight Component
D. None of the given options

Question No:99 **(Marks:01)** **Vu-Topper RM**

Based on functionality, the streams can be categorized as _____

A. Byte oriented stream and Node stream
B. Filter stream and Character oriented stream
C. **Node stream and Filter stream**

Question No:100 **(Marks:01)** **Vu-Topper RM**

Which of the following is not included in simple tag while creating JSP custom tags?

A. Start of tag
B. End of tag
C. Attributes
D. None of the given options

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:101 **(Marks:01)** **Vu-Topper RM**

MVC stands for _____.

A. Model View Content
B. Model View Controller
C. Multi View Controller
D. Multi View Content

Question No:102 **(Marks:01)** **Vu-Topper RM**

In packages, we organize files into different directories according to their _____.

A. Functionality
B. Usability
C. Category
D. All of these

Question No:103 **(Marks:01)** **Vu-Topper RM**

Strings in java are represented as _____

A. Primitive data types
B. Reference data types
C. Native data types
D. Operators

Question No:104 **(Marks:01)** **Vu-Topper RM**

How many forms of redirect?

A. One
B. Two
C. Three
D. Four

Question No:105 **(Marks:01)** **Vu-Topper RM**

CREATE, ALTER, DROP are _____ SQL statements.

A. DML
B. DDL
C. DCL
D. None of given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:106 **(Marks:01)** **Vu-Topper RM**

Which of the following is not part of http response?

A. Result Code
B. URI
C. Header fields
D. Body

Question No:107 **(Marks:01)** **Vu-Topper RM**

In which file do we define a servlet mapping?

A. Web.xml
B. Servlet.mappings
C. Servlet.xml
D. None of the given

Question No:108 **(Marks:01)** **Vu-Topper RM**

Web server is a software which provides services to access _____.

A. Internet
B. Intranet
C. Extranet
D. All of the given

Question No:109 **(Marks:01)** **Vu-Topper RM**

From the following which one is not a built-in validator?

A. DoubleRangeValidator
B. LongRangeValidator
C. LengthValidator
D. StringValidator

Question No:110 **(Marks:01)** **Vu-Topper RM**

RPC stands for

A. Remote Personal Computer (RPC)
B. Remote Procedure Calls (RPC).
C. Remote Procedure Client (RPC)
D. None of these

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:111 **(Marks:01)** **Vu-Topper RM**

Which of the following approach is used to create threads in java?

A. Inheritance
B. Interface
C. Both Inheritance and Interface
D. None of These

Question No:112 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT a web technoloy of Java?

A. Servlet
B. JSP
C. ASP
D. JSF

Question No:113 **(Marks:01)** **Vu-Topper RM**

Which of the following range of response code indicates that request was successful?

A. 100-199
B. 200-299
C. 300-399
D. 400-499

Question No:114 **(Marks:01)** **Vu-Topper RM**

Web.xml is a _____

A. Java File
B. Configration File
C. Jar file
D. Servlet

Question No:115 **(Marks:01)** **Vu-Topper RM**

From the following which session tracking technique is used when new session is started?

A. Cookies

Vu Topper RM

B. URL Rewriting
C. Both Cookies and URL Rewriting
D. None of These

Question No:116 **(Marks:01)** **Vu-Topper RM**
get Attribute (String) extracts---------- stored value from a session object
A. Subsequently
B. None of These
C. Previously
D. Currently

Question No:117 **(Marks:01)** **Vu-Topper RM**
HTTP Session stores session information in
A. File System of client
B. File System of Server
C. A Cookie
D. A Session Object

Question No:118 **(Marks:01)** **Vu-Topper RM**
From the following which is not a basic function of web-based application:
A. Presentation
B. Debugging
C. Business Logic
D. Data Management

Question No:119 **(Marks:01)** **Vu-Topper RM**
Servlets are used to
A. Create Graphics
B. Provide Dynamic Web Content which extant web service
C. Develop Applets
D. Create GUI

Question No:120 **(Marks:01)** **Vu-Topper RM**
Overloading is _____ whereas overriding is _____
A. Run time binding, compile time binding
B. Late binding, compile time binding

Vu Topper RM

C. Compile time binding, run time binding
D. Run time binding, late time binding

Question No:121 **(Marks:01)** **Vu-Topper RM**
From following methods; which method is not a part of the JSP life cycle
A. jspInit()
B. jspService()
C. jspService()
D. jspDestroy()

Question No:122 **(Marks:01)** **Vu-Topper RM**
A top-level class without any modifier is accessible to any
A. class
B. any class within the same package
C. any class within the same file
D. any subclass of this class

Question No:123 **(Marks:01)** **Vu-Topper RM**
Java program code is compiled into form called
A. Machine code
B. native Code
C. Byte Code
D. Source Code

Question No:124 **(Marks:01)** **Vu-Topper RM**
What if the main method is declared as private?
A. The program does not compile
B. The program compiles but does not run
C. The program compiles and runs properly
D. The program throws an exception on compile time

Question No:125 **(Marks:01)** **Vu-Topper RM**
There are _____ types of exceptions in Java
A. 2

Vu Topper RM

B. 3
C. 4
D. 5

Question No:126 **(Marks:01)** **Vu-Topper RM**
Which of the following is used for inheritance in java?
A. implements
B. extends
C. (colon)
D. inherit

Question No:127 **(Marks:01)** **Vu-Topper RM**
A top level class may have only the following access modifier.
A. Package
B. Private
C. Protected
D. Public

Question No:128 **(Marks:01)** **Vu-Topper RM**
Which of the following package needs to be import while handling files?
A. java.util
B. java.io
C. java.awt
D. javax.swing

Question No:129 **(Marks:01)** **Vu-Topper RM**
Exceptions must be handled while handling files otherwise it may lead to _____
A. Logical error
B. Syntax error
C. Run-time error
D. No error

Question No:130 **(Marks:01)** **Vu-Topper RM**
All the exceptions and errors in java are inherited from _____ class.

Vu Topper RM

A. Exception
B. Error
C. Throwable
D. IOException

Question No:131 **(Marks:01)** **Vu-Topper RM**
Which of the following exception belongs to a category of un-checked exception?
A. IOException
B. Null Pointer exception
C. AWTException
D. ClassNotFoundException

Question No:132 **(Marks:01)** **Vu-Topper RM**
Which of the following belongs to a category of checked exception?
A. Null Pointer exception
B. IO Exception
C. Array index out of bounds
D. NumberFormatException

Question No:133 **(Marks:01)** **Vu-Topper RM**
The relationship between class and interface is called _____.
A. ' Is a ' relationship
B. ' Has a ' relationship
C. ' Responds to ' relationship
D. None of the given options

Question No:134 **(Marks:01)** **Vu-Topper RM**
An abstract class ----------instantiated.
A. Cannot be
B. Can be
C. Must
D. None of these

Question No:135 **(Marks:01)** **Vu-Topper RM**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

The classes which contain the word _____ are byte oriented streams.

A. Reader
B. Writer
C. Stream
D. Byte

Question No:136 **(Marks:01)** **Vu-Topper RM**

Window frame and dialog use _____ as their default layout.

A. Border layout
B. Flow layout
C. GridBag layout
D. Grid layout

Question No:137 **(Marks:01)** **Vu-Topper RM**

Which of the following stream is a filter stream?

A. FileWriter
B. FileReader
C. BufferedReader
D. All of given options

Question No:138 **(Marks:01)** **Vu-Topper RM**

What will happen if we write static public void instead of public static void?

A. Program does not compile
B. Program compiles but does not run
C. Program compiles and run successfully
D. Program throws an exception

Question No:139 **(Marks:01)** **Vu-Topper RM**

Which of the following command is used to run java program?

A. Java filename.java
B. Java filename
C. Javac filename.java
D. Javac filename

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:140 **(Marks:01)** **Vu-Topper RM**

==operator compares _____ of strings whereas equals () method compares _____ of the string.

A. Value, Addresses
B. Address, Values
C. Size, Addresses
D. Addresses, Size

Question No:141 **(Marks:01)** **Vu-Topper RM**

Which of the following feature provides the facility for multiple inheritance?

A. Adapter Classes
B. Wrapper Classes
C. Interfaces
D. Collections

Question No:142 **(Marks:01)** **Vu-Topper RM**

The given line of code will result in _____ system. Out. printing (5+9);

A. 59
B. 5+9
C. 14
D. syntax error

Question No:143 **(Marks:01)** **Vu-Topper RM**

Which of the following stream is a Node stream?

A. PrintWriter
B. FileWriter
C. BufferedReader
D. All of the given option

Question No:144 **(Marks:01)** **Vu-Topper RM**

To compare the value of two strings, _____ must be used.

A. =operator
B. ==operator
C. Equal () method

Vu Topper RM

D. Compare () method

Question No:145 **(Marks:01)** **Vu-Topper RM**

The classes which contain the word _____ are bytes oriented streams.

A. Reader
B. Writer
C. Stream
D. Byte

Question No:146 **(Marks:01)** **Vu-Topper RM**

Which of the following method is used to convert a string into an int value?

A. IntValue()
B. parselnt()
C. Parselnt ()
D. parselInteger()

Question No:147 **(Marks:01)** **Vu-Topper RM**

What will happen if we write static public void instead of public static void?

A. Program does not compile
B. Program compiles but does not run
C. Program compiles and run successfully
D. Program throws an exception

Question No:148 **(Marks:01)** **Vu-Topper RM**

Static methods can only access _____

A. Instance variables
B. Instance methods
C. Static variables and methods
D. Both static and instance members

Question No:149 **(Marks:01)** **Vu-Topper RM**

HahMap takes key as a/an _____

A. Object
B. Array
C. Primitive value

Vu Topper RM

D. Function

Question No:150 **(Marks:01)** **Vu-Topper RM**

Which of the following stream read/write data in the form of bytes?

A. FileReader
B. FileWriter
C. PrintWriter
D. FileInputStream

Question No:151 **(Marks:01)** **Vu-Topper RM**

A variable declared as static in a class is a/an _____

A. Instance variable
B. Class variable
C. Const variable
D. Global variable

Question No:152 **(Marks:01)** **Vu-Topper RM**

What will happen if main method is declared as private?

A. The program does not compile
B. The program throws an exception at run time
C. The program compiles and runs successfully
D. None of given options

Question No:153 **(Marks:01)** **Vu-Topper RM**

What will happen if static modifier is removed from the signature of main method?

A. The program does not compile
B. The program compiles and runs successfully
C. The program compiles but does not run
D. None of given options

Question No:154 **(Marks:01)** **Vu-Topper RM**

Which of the following syntax attaches an output stream to console?

A. FileWriterfw = new FileWriter("output.txt");
B. FileWriterfw = new FileWriter (FileDescriptor.out);

Vu Topper RM

C. FileWriterfw = new FileWriter (FileDescriptor.in);
D. FileWriterfw = new FileWriter (File Descriptor);

Question No:155 **(Marks:01)** **Vu-Topper RM**

Which of the following folder contains configuration file?

A. Classes
B. Lib
C. Bin
D. WEB-INF

Question No:156 **(Marks:01)** **Vu-Topper RM**

Which of the following Environment variable tells the system about the root directory of TOMCAT?

A. Java HOME
B. CATALINA_HOME
C. CLASSPATH
D. PATH

Question No:157 **(Marks:01)** **Vu-Topper RM**

From the following which ID is transmitted between the client and the server

A. Session ID
B. Network ID
C. Server ID
D. None of these

Question No:158 **(Marks:01)** **Vu-Topper RM**

An event in java is represented as _____

A. Operator
B. Function
C. Object
D. Primitive data type

Question No:159 **(Marks:01)** **Vu-Topper RM**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following method is used to execute INSERT, UPDATE and Delete SQL statements?

A. executeQuery(sql);
B. ExecuteQuery(sql);
C. executeUpdate(sql);
D. ExecuteUpdate(sql);

Question No:160 **(Marks:01)** **Vu-Topper RM**

Which of the following command is used to compile Java code?

A. java filename
B. javac filename.java
C. javac filename
D. java filename.java

Question No:161 **(Marks:01)** **Vu-Topper RM**

Which of the following stream is a Node stream?

A. PrintWriter
B. File Writer
C. Buffered Reader
D. All of given option

Question No:162 **(Marks:01)** **Vu-Topper RM**

Exception handling code is written in _____

A. try
B. finally
C. block
D. throws clause

Question No:163 **(Marks:01)** **Vu-Topper RM**

Witch of the following is a general-purpose container?

A. Frame
B. Dialog
C. Janel
D. Applet

Question No:164 **(Marks:01)** **Vu-Topper RM**

Vu Topper RM

add Cookie () method of HTTPServletResponse takes _____ as a parameter and adds it to the cookie header.

A. cookie object
B. session id
C. ip address
D. MAC address

Question No:165 **(Marks:01)** **Vu-Topper RM**

Request and response of servlet are handled at _____ stage.

A. destroy
B. services **Page 267**
C. failure
D. initialize

Question No:166 **(Marks:01)** **Vu-Topper RM**

In include type of request dispatcher, the first servlet which received request is also responsible to _____ .

A. finish response
B. modify request
C. show exceptions
D. forward request

Question No:167 **(Marks:01)** **Vu-Topper RM**

Which of the following approach can used to create threads in java?

A. Inheritance
B. Abstraction
C. Composition
D. Polymorphism

Question No:168 **(Marks:01)** **Vu-Topper RM**

In the context of HTTP Response Code, the values in the 400s indicate that _____.

A. error by client **Page 235**
B. Resource is available
C. Error by server

Vu Topper RM

D. Resource is not available

Question No:169 **(Marks:01)** **Vu-Topper RM**

Choose correct integer value for predefined Thread Priority "Thread.MIN_PRIORITY" in Java.

A. 1
B. 7
C. 5
D. 10

Question No:170 **(Marks:01)** **Vu-Topper RM**

Context attributes are shared among ____ servlet/s of __.

A. all, a web application
B. two, a web application
C. all, desktop applications
D. two, desktop applications

Question No:171 **(Marks:01)** **Vu-Topper RM**

Engine of the servlet is _____ method.

A. service() Page 268
B. load()
C. init()
D. Create()

Question No:172 **(Marks:01)** **Vu-Topper RM**

The newly created thread can be moved to "Ready State" by calling _____ method.

A. start() method
B. wait()
C. sleep()
D. yield

Question No:173 **(Marks:01)** **Vu-Topper RM**

Which of the following range of response code signify error by server?

A. 200-299
B. 300-399
C. 500-599

Vu Topper RM

D. 400-499

Question No:174 **(Marks:01)** **Vu-Topper RM**

Which of the following object contains information specific to a servlet?

A. ServletConfig
B. ServletRequest
C. ServletContext
D. ServletResponse

Question No:175 **(Marks:01)** **Vu-Topper RM**

HttpSession stores session information in

A.File system of client
B. File system of server
C.A cookie
D.A session object

Question No:176 **(Marks:01)** **Vu-Topper RM**

To destroy the session in Servlet we use?

A. session.destroy()
B. session.invalidate()
C. session.end()
D. session.Kill()

Question No:177 **(Marks:01)** **Vu-Topper RM**

From following which one is the object of JspWriter used to send output to the client.

A. request
B. out
C. response
D. None of these

Question No:178 **(Marks:01)** **Vu-Topper RM**

Moving session from one server to another in case of server failure is known as

A.Session Migration
B. Session Tracking

Vu Topper RM

C. Session Hijacking

D. None of these

Question No:179 **(Marks:01)** **Vu-Topper RM**

From the following which one is not a JSP directive?

A.page

B. include

C. taglib

D. out

Question No:180 **(Marks:01)** **Vu-Topper RM**

Client is referred as a

A. Computer user

B. Computer that a person is using for communication purpose

C. Person which carry out web surfing

D. None of these

Question No:181 **(Marks:01)** **Vu-Topper RM**

A cookie is a piece of ------- that a web server can store on a client's hard disk.

A. Number

B. Text

C. String

D. None of these

Question No:182 **(Marks:01)** **Vu-Topper RM**

In JSP Instance variables and method are declared through following tag

A.<%@ %>

B.<%-- --%>

C.<%! %>

D.<%= %>

Question No:183 **(Marks:01)** **Vu-Topper RM**

To provide global control of JSP we use following tag

A. <%@ %>

B.<%-- -%>

Vu Topper RM

C.<%! %>
D.<%= %>

Question No:184 **(Marks:01)** **Vu-Topper RM**
Which of the following is the best choice as a controller in MVC Model Architecture?
A.Java
B.Servlet
C.JavaScript
D.JSP

Question No:185 **(Marks:01)** **Vu-Topper RM**
Hidden Forms Fields contain the information that is needed to send to the
A.Client
B. Server
C.Both server and client
D.None of these

Question No:186 **(Marks:01)** **Vu-Topper RM**
Session Tracking is done through following techniques?
A. Cookies
B. Hidden fields
C. URL Rewriting
D. All the these

Question No:187 **(Marks:01)** **Vu-Topper RM**
JSP scripting elements is/are
A. Declarations
B. Scriptlets
C. expressions
D. All of these

Question No:188 **(Marks:01)** **Vu-Topper RM**
From the following indicators; which is added in user session to know the session time out?

Vu Topper RM

A. Sessiontimeoutindicator
B. SessionTimeOutIndicator
C. SessionTimeoutIndicator
D. None of these

Question No:189 **(Marks:01)** **Vu-Topper RM**

HTTP is a ---------protocol.

A. Stateless
B. Connectionless
C. Connection oriented
D. None of these

Question No:190 **(Marks:01)** **Vu-Topper RM**

getId( ) returns the unique ID of

A. Current session
B. Previous session
C. None of these
D. Next session

Question No:191 **(Marks:01)** **Vu-Topper RM**

Which of the following is NOT true about JavaBean?

A. It should not have any public variable.
B. It must be serializable.
C. It must not have any zero argument constructor.
D. Private instances must be accessed via setters/getters.

Question No:192 **(Marks:01)** **Vu-Topper RM**

getAttribute(String) extracts---------- stored value from a session object

A. Subsequently
B. None of these
C. Previously
D. Currently

Question No:193 **(Marks:01)** **Vu-Topper RM**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

JSP _____ action element is used to obtain a reference to an existing JavaBean object.

A. useBean
B. setProperty
C. getProperty
D. None of these

Question No:194 **(Marks:01)** **Vu-Topper RM**

From following tags, which one is the Special JSP tag?

A. <jsp: ….. />
B. <%! %>
C. <%= %>
D. <%@ %>

Question No:195 **(Marks:01)** **Vu-Topper RM**

What is the initial contact point for handling a web request in a Page-Centric architecture?

A. JSP
B. JavaBean
C. servlet
D. HTML page

Question No:196 **(Marks:01)** **Vu-Topper RM**

"application" is a object of

A. ServletContext.
B. HttpSession
C. ServletConfig
D. None of these

Question No:197 **(Marks:01)** **Vu-Topper RM**

All ----------data is kept at the application server.

A. Dynamic
B. Static
C. Both dynamic and static
D. None of these

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:198 **(Marks:01)** **Vu-Topper RM**

Which one is used to collect data when a user navigates between web pages?

A. Session Tracking
B. User Tracking
C. None of these
D. Session Migration

Question No:199 **(Marks:01)** **Vu-Topper RM**

To define the error page in JSP we use following tag?

A. exception-type
B. error-type
C. error-page
D. exception-page

Question No:200 **(Marks:01)** **Vu-Topper RM**

From following which code can be used to create session object in the Servlet:

A. HttpSession session = req.getSession(true);
B. HttpSession session = req.getSession(false);
C. HttpSession session = req.getSession(1);
D. None of these

Question No:201 **(Marks:01)** **Vu-Topper RM**

When JSP page compiled, it is translated into?

A. Applet
B. Application
C. Servlet
D. Web Browser

Question No:202 **(Marks:01)** **Vu-Topper RM**

Packages are the way to organize files into different ----------according to their functionality, usability as well as category they should belong to.

A. Directories
B. Folders
C. Libraries

Vu Topper RM

D. None of these

Question No:203 **(Marks:01)** **Vu-Topper RM**

setAttribute(String, Object) associates a ----------with a name.

A. None of these
B. Object
C. String
D. Value

Question No:204 **(Marks:01)** **Vu-Topper RM**

3-layer architecture consists of presentation Layer, _____ Layer and Data Layer.

A. Application
B. Business
C. Server
D. Client

Question No:205 **(Marks:01)** **Vu-Topper RM**

in the context of java Thread, sleep() method throws_____ exception.

A. Interrupted
B. Input output
C. File not found
D. Index out of bound

Question No:206 **(Marks:01)** **Vu-Topper RM**

addCookies() method of HTTPServletResponse takes_____ as a parameter and adds it to the cookies header.

A. Cookies object
B. Ip address
C. AC address
D. Session id

Question No:207 **(Marks:01)** **Vu-Topper RM**

"application" is a object of:

A. ServletContext
B. HttpSession

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. ServletConfig
D. Both b and c

Question No:208 **(Marks:01)** **Vu-Topper RM**

From the following which code can be used to create session object in the Servlet

A. HttpSession session=req.getSession(true);
B. HttpSession session=req.getSession(false);
C. HttpSession session=req.getSession(1);
D. HttpSession session=req.setSession(1);

Question No:209 **(Marks:01)** **Vu-Topper RM**

Which of the following syntax used to attach an input stream to console?

A. FileReaderfr=new FileReader((input.txt))
B. FileReaderfr=new FileRead(FileDescriptor.in);
C. FileReaderfr=new FileReader(FileDescriptor);

Question No:210 **(Marks:01)** **Vu-Topper RM**

Which of the following feature is not available in java Pointers?

A. Operator overloading
B. Global variables
C. All of given options

Question No:211 **(Marks:01)** **Vu-Topper RM**

javax.servlet.jsp.PageContext, is used to give a ---------point of access to many of the page attributes.

Single
Multiple

Question No:212 **(Marks:01)** **Vu-Topper RM**

HTML form data can be processed by JSP

True
False

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:213 **(Marks:01)** **Vu-Topper RM**

Java provides an excellent solution to all the problems that occurred in tracking a session.

True

False

Question No:214 **(Marks:01)** **Vu-Topper RM**

In JSP scripting elements, it is NOT necessary that every opening tag also have a closing tag.

False **Page 340**

True

Question No:215 **(Marks:01)** **Vu-Topper RM**

Java + HTML = JSP

True

False

Question No:216 **(Marks:01)** **Vu-Topper RM**

getrequest() method gets information from a client and postrequest() method posts data to a client.

False

True

Question No:217 **(Marks:01)** **Vu-Topper RM**

sendRedirect() method of HTTPServletResponse redirects the user to _____ .

Specific URL **Page 295**

Main class

Question No:218 **(Marks:01)** **Vu-Topper RM**

Packages are nothing more than the way we organize files into different directories according to their functionality, usability as well as category they should belong to.

False **Page 329**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

True

Question No:219 **(Marks:01)** **Vu-Topper RM**

getParameters() method returns an array of strings containing the values for a specified servlet parameter.

True

False

Question No:220 **(Marks:01)** **Vu-Topper RM**

In 3-layer architecture, we do NOT make any direct calls to database from the presentation layer.

False **Page 322**

True

Question No:221 **(Marks:01)** **Vu-Topper RM**

JSP is a text based document capable of returning either static or dynamic content to a client's browser.

True **Page 334**

False

Question No:222 **(Marks:01)** **Vu-Topper RM**

Automatically switch to URL Rewriting when cookies are not supported or disabled by the client.

Presence of cookie indicates that the user is visiting this site for the first time.

False **Page 317**

True

Question No:223 **(Marks:01)** **Vu-Topper RM**

Presence of cookie indicates that the user is visiting this site for the first time.

False **Page 300**

True

Question No:224 **(Marks:01)** **Vu-Topper RM**

Layers are isolated from each other to increase coupling between them.

False **Page 322**

True

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:225 **(Marks:01)** **Vu-Topper RM**
Cookies can be used for identifying a user during an e-commerce session
True
False

Question No:226 **(Marks:01)** **Vu-Topper RM**
The _____ represent the state of component.
View
Model

Question No:227 **(Marks:01)** **Vu-Topper RM**
Interface of HttpServletResponse extends class Servlet Response
False
True

Question No:228 **(Marks:01)** **Vu-Topper RM**
HttpServletResponse object is created when web server executes the servlet. This object is passes to the servlet service method which passes it to do Get () or doPost ().
True
False

Question No:229 **(Marks:01)** **Vu-Topper RM**
A collection can store .....
Homogenous objects
Heterogeneous objects

Question No:230 **(Marks:01)** **Vu-Topper RM**
Which of the following is called ' pure abstract class ' ?
Wrapper class
Interface

Question No:231 **(Marks:01)** **Vu-Topper RM**
Is it possible to provide more than one main method within same class?
True

Vu Topper RM

False

Question No:232 **(Marks:01)** **Vu-Topper RM**

There is NO equivalent tag for comments while writing JSP scripting elements in XML.

True

False

Question No:233 **(Marks:01)** **Vu-Topper RM**

Which of the following is/are not correct about thread(s)?

Heavy weight

Light weight

Question No:234 **(Marks:01)** **Vu-Topper RM**

Web applications maintain the state of a user's actions against multiple requests, because HTTP protocol is stateless.

True

False

Question No:235 **(Marks:01)** **Vu-Topper RM**

By means of Page Directive, a JSP can be given the responsibility of an Error page.

True

False

Question No:236 **(Marks:01)** **Vu-Topper RM**

JSP directives are used to convey special processing information about the page to JSP container.

True

False

Question No:237 **(Marks:01)** **Vu-Topper RM**

Tag Library Descriptor (.tld) file is a simple text base document.

False Page 378

True

Question No:238 **(Marks:01)** **Vu-Topper RM**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

An error JSP is called by the web server when an uncaught exception gets occurred.

True Page 389

False

Question No:239 (Marks:01) Vu-Topper RM

Interface can be implemented in JSP

True

False

Question No:240 (Marks:01) Vu-Topper RM

When a session object is invalidated, it can be again refreshed.

True

False

Question No:241 (Marks:01) Vu-Topper RM

When a session object is invalidated, it can be again refreshed.

True

False

Question No:242 (Marks:01) Vu-Topper RM

JSP technology is extensible

True

False

Question No:243 (Marks:01) Vu-Topper RM

Choose the correct statement by which thread 't' causes currently executing thread to block until thread 't' finishes its run() method.

thread2.join()

Question No:244 (Marks:01) Vu-Topper RM

Choose line of code to inherit a worker class from thread class in Java.

Public class Worker extends Thread()

Question No:245 (Marks:01) Vu-Topper RM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

HTTP response code 404 indicates that ----------.

Requested resource is not available.

Question No:246 **(Marks:01)** **Vu-Topper RM**

If attribute is "name" and value is "Ahmed" then the GET request will be--------.

http://www.gmail.com/register?name=ahmad

Question No:247 **(Marks:01)** **Vu-Topper RM**

Managed Bean is JavaBeans which are defined in ----------

Configuration file

Question No:248 **(Marks:01)** **Vu-Topper RM**

Correct format of writing an EL expression is _____

${Valid Expressions}

Question No:249 **(Marks:01)** **Vu-Topper RM**

If "MyServlet" is placed in "myapp" folder, then you can access "MyServlet" by writing _____ url in browser.

http://localhost:8080/myapp/MyServlet

Question No:250 **(Marks:01)** **Vu-Topper RM**

_____operator is used to retrieve elements of arrays and collections

Bracket [ ] operator

Question No:251 **(Marks:01)** **Vu-Topper RM**

JSP stands for_____

Java Server Page

Vu Topper RM

Visit My YouTube Channel

For Subjective and More

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Important Notes

Channel Name = #VuTopperRM

Vu Topper RM

Vu Topper RM